


NCTN Head and Neck Cancer Trials Portfolio (Open as of 6/15/2026)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Head and Neck Cancer Trials Portfolio (Open as of 6/15/2026)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

Cross-disease trials:



NCTN Head and Neck Cancer Trials (Open as of 6/15/2026)

Protocol Number	Phase	Protocol Title
A092105	II	Randomized Phase 2 Study of Nivolumab and Ipilimumab with or Without Cabozantinib in Patients with Advanced Nasopharyngeal Carcinoma That Have Progressed After Platinum Treatment and Immunotherapy
A092205	III	Randomized Phase III Trial of Pembrolizumab vs. Pembrolizumab/Cetuximab in Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma with Platinum Refractory Disease
CCTG-HN11	III	SPECT-CT Guided Elective Contralateral Neck Treatment [SELECT] for Patients with Lateralized Oropharyngeal Cancer: A Phase III Randomized Controlled Trial
EA3132	II	Phase II Randomized Trial of Radiotherapy with or Without Cisplatin for Surgically Resected Squamous Cell Carcinoma of the Head and Neck (SCCHN) with TP53 Sequencing
EA3191	II	A Phase II Randomized Trial of Adjuvant Therapy with Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma with High Risk Features
EA3231	III	A Randomized Phase III Study of BRAF-Targeted Therapy vs Cabozantinib in RAI-Refractory Differentiated Thyroid Cancer with BRAF V600Em
NRG-HN006	II/III	Randomized Phase II/III Trial of Sentinel Lymph Node Biopsy Versus Elective Neck Dissection for Early-Stage Oral Cavity Cancer
NRG-HN009	II/III	Randomized Phase II/III Trial of Radiation with High-Dose Cisplatin (100 mg/m ²) Every Three Weeks Versus Radiation with Low-Dose Weekly Cisplatin (40 mg/m ²) for Patients with Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)
NRG-HN010	II	A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naïve, Unresectable HER2-Positive Salivary Gland Cancer
NRG-HN011	II	A Randomized Phase II Study of Nivolumab Versus Nivolumab and BMS-986016 (Relatlimab) as Maintenance Treatment After First-Line Treatment with Platinum-Gemcitabine-Nivolumab for Patients with Epstein-Barr Virus-Associated Recurrent/Metastatic Nasopharyngeal Carcinoma (REMAIN)
NRG-HN015	II	A Phase II Randomized Trial of Neoadjuvant Chemotherapy or Chemo-Immunotherapy in Patients with Recurrent/Persistent PD-L1 Enriched Squamous Cell Carcinoma of the Head and Neck Undergoing Salvage Surgery (NEOPOLIS)
NRG-HN016	III	Radiotherapy with Concurrent Cetuximab vs. Carboplatin and Paclitaxel in Patients with Locoregionally Advanced Head and Neck Cancer with a Contraindication to Cisplatin: A Pragmatic Phase III Randomized Trial (CONCISE)
RTOG-1216	II/III	Randomized Phase II/III Trial of Surgery and Postoperative Radiation Delivered with Concurrent Cisplatin Versus Docetaxel Versus Docetaxel and Cetuximab for High-Risk Squamous Cell Cancer of the Head and Neck
S2101	II	Biomarker Stratified Cabozantinib (NSC#761968) and Nivolumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Participants with Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial