

## **LEGACY Clinical Data Update System (CDUS) Instructions and Guidelines**

Version 3.0, Release 6  
March 2025

**NOTE: The Clinical Data Update System (CDUS) is a legacy data submission system. No newly approved studies will be assigned CDUS reporting. Please see the Data Mapping Utility (DMU) instructions on the DCTD/CTEP website for instructions on updated CTEP data reporting.**

NCI CTEP Help Desk

Email: [ctephelpdesk@nih.gov](mailto:ctephelpdesk@nih.gov)

Phone: 1-888-283-7457

## 1. CLINICAL DATA UPDATE SYSTEM (CDUS) INSTRUCTIONS

### 1.1. OVERVIEW

**NOTE: The Clinical Data Update System (CDUS) is a legacy data submission system. No newly approved studies will be assigned CDUS reporting. Please see the Data Mapping Utility (DMU) instructions on the DCTD/CTEP website for instructions on updated CTEP data reporting.**

The Clinical Data Update System (CDUS) is the primary resource of clinical trial data for the NCI Division of Cancer Treatment and Diagnosis (DCTD) and the Division of Cancer Prevention (DCP). CDUS reports should be submitted for all DCTD-and DCP-sponsored trials (Phase 1, 2, and 3). This includes all DCTD-sponsored NCTN Group and NCORP Research Base treatment trials utilizing CTEP-sponsored investigational agents and trials utilizing non-NCI agents (commercial or investigational); all DCTD grant funded non-NCTN Group (Cancer Center or other institution) trials (if CDUS reporting is a grant requirement) utilizing non-NCI agents; all DCTD sponsored NCTN Group and NCORP Research Base non-treatment trials (accrual > 100 pts.); and all DCP sponsored NCORP Research Base cancer prevention and control trials.

CTEP staff, in conjunction with external participants [e.g., NCTN Groups, Cancer Centers, Food and Drug Administration (FDA), manufacturers], have made every attempt to define the minimum number of data elements needed to fulfill the regulatory, scientific, and administrative needs of the NCI. The amount of information required for submission to CTEP will vary depending on certain characteristics of the trial (see Section 1.3, "What Data Should be Submitted," for further details).

Specific details about CDUS reporting requirements can be found in the sections that follow.

### 1.2. WHO SHOULD SUBMIT DATA

Group/Institution Trials:

For each protocol, the Lead Group or the Lead Institution is responsible for submitting the CDUS data.

Inter-Group/Multi-Institution Trials:

The Lead Group or the Lead Institution for the protocol is responsible for compiling and submitting the CDUS data for all participants.

NCTN Groups participating in pharmaceutical company sponsored studies:

An exception is made in this situation. The participating NCTN Group will be considered the lead organization and an Abbreviated CDUS Data Set will be submitted quarterly. If multiple Groups are participating on a pharmaceutical sponsored study, then the Lead Group will be responsible for compiling and submitting CDUS data for all Group participants.

### 1.3. WHAT DATA SHOULD BE SUBMITTED

Either an Abbreviated CDUS Data Set (containing the data elements found in Section 2.1.1, "Administrative," and Section 2.2.1, "Patient Demographic Items") or a Complete CDUS Data Set (containing all appropriate CDUS data elements) will be required. CTEP has grouped data

elements into three categories: Mandatory, Requested, and Optional. Please refer to Section 9, “CDUS Business Rules,” for a complete listing of the business rules and for more information regarding mandatory and requested data elements. All data submissions must be cumulative. The type and amount of data required from an investigator depends upon the following:

The trial source (NCTN Group and National Community Oncology Research Program (NCORP) Research Base vs. non-NCTN Group), whether the trial utilizes a CTEP-sponsored investigational agent, the phase of the trial, and if the trial is sponsored by DCTD or DCP.

### **1.3.1. Abbreviated CDUS Data Set**

The Abbreviated CDUS Data Set is limited to protocol administrative and patient demographic information.

An Abbreviated CDUS Data Set will include the following administrative data elements:

- NCI Protocol Number
- Date Report Submitted
- Cut-Off Date for Data
- Current Protocol Status
- Current Protocol Status Date
- Person Completing the Report
  - Name: Last Name^First Name^Middle Initial
  - Telephone Number
  - Fax Number (optional)
  - E-mail Address (optional)
- Change Code

See Section 2.1.1, “Administrative,” for descriptions of the administrative data elements.

An Abbreviated CDUS Data Set will also include the following patient demographic data elements:

- Patient ID
- Patient Zip Code
- Patient Country Code
- Patient Birth Date
- Patient Sex
- Patient Ethnicity
- Patient Method of Payment
- Date of Patient Entry
- Registering Group Code (all studies with Group participation)
- Registering Institution Code (mandatory as of April 1999)
- Patient Disease Code (mandatory as of July 2005)
- PATIENT\_RACES Table

See Section 2.2.1, “Patient Demographic Items,” for descriptions of the patient demographic data elements.

Note: When available, the submission of correlative study information as well as publication and author information is expected for CDUS-Abbreviated studies.

### 1.3.2. COMPLETE CDUS DATA SET

The Complete CDUS Data Set contains the information found in the Abbreviated CDUS Data Set in addition to patient administrative information (e.g., treating institution code, patient treatment status), treatment information (e.g., agent administered, total dose per course), adverse event information (e.g., AE type, grade), and response information (e.g., response observed, date response observed). In short, the Complete CDUS Data Set might include all data elements described in Section 2, “DATA ELEMENT DESCRIPTIONS.”

Note: Data related to Phase 1 end points are only required to be submitted for Phase 1 trials. The end point should define either the recommended Phase 2 dose or the minimum effective dose, depending on protocol objectives.

The complete report should be submitted quarterly. Response data for all Phase 1 and Phase 2 trials should also be submitted on a quarterly basis.

Note: <sup>1</sup>Please note that the NCI may choose to “upgrade” a Phase 1 or 2 treatment study from abbreviated to complete CDUS reporting requirements based on the priority of the trial. Investigators will be notified in writing during the consensus review and protocol approval process regarding the reporting requirements for a given study. This discretionary action applies to both CTEP and DCP studies.

### 1.3.3. TRIAL CATEGORIES

The following sections describe the various trial “categories” and the amount of information necessary for each. A summary of this information can be found in Table A and Table B. A description of each data element to be collected can be found in Section 2, “DATA ELEMENT DESCRIPTIONS.”

#### 1.3.3.1. Treatment Trials that include CTEP-sponsored IND Agents

NCTN Group and Research Base trials and non-NCTN Group (Cancer Center or other institution) trials:

##### 1.3.3.1.1. PHASE 1 – CTMS MONITORED TRIALS THAT INCLUDE CTEP-SPONSORED IND AGENTS

Early Phase 1 trials often require more intensive monitoring. Early Phase 1 trials will continue to be reported to CTEP using the Clinical Trials Monitoring Service (CTMS). CTEP will abstract the CDUS information subset from the CTMS data on a monthly basis. Investigators will not be obligated to submit any additional data to the CDUS.

##### 1.3.3.1.2. PHASE 1 – NON-CTMS MONITORED TRIALS THAT INCLUDE CTEP-SPONSORED IND AGENTS

A Complete CDUS Data Set report (all CDUS data elements) is required. Investigators should submit the Complete CDUS Data Set report to CTEP on a quarterly basis.

##### 1.3.3.1.3. PHASE 2 TRIALS THAT INCLUDE CTEP-SPONSORED IND AGENTS

A Complete CDUS Data Set report is required (all CDUS data elements except Phase 1 endpoints). Investigators should submit the Complete CDUS Data Set report to CTEP on a quarterly basis. Response data for all trials shall be submitted quarterly.

#### **1.3.3.1.4. PHASE 3 TRIALS THAT INCLUDE CTEP-SPONSORED IND AGENTS**

An Abbreviated CDUS Data Set report is required. Investigators should submit the Abbreviated CDUS Data Set report to CTEP on a quarterly basis for all CTEP-sponsored Phase 3 treatment trials.

#### **1.3.3.2. Treatment Trials that do not include CTEP-sponsored IND Agents**

##### **1.3.3.2.1. NCTN GROUP AND RESEARCH BASE TRIALS**

An Abbreviated CDUS Data Set report is required. Phase 1, 2, 3 Investigators should submit an Abbreviated CDUS Data Set report to CTEP on a quarterly basis for all DCTD sponsored NCTN Group and NCORP Research Base treatment trials that do not utilize a CTEP-sponsored IND agent (e.g., commercial agents or non-NCI IND agents).

NOTE: The NCI may choose to “upgrade” a Phase 1 or 2 treatment study from Abbreviated to Complete CDUS Data Set reporting, based on the priority of a trial. Investigators will be notified in writing during the consensus review and protocol approval process regarding the reporting requirements for a given study.

Note: Adverse Events and Response data should be reported as per protocol guidelines.

##### **1.3.3.2.2. NON-GROUP (CANCER CENTER OR OTHER INSTITUTION) TRIALS**

###### **1.3.3.2.2.1. Approved NCI Grant which requires CDUS Reporting**

If CDUS reporting is a Grant requirement, investigators should submit an Abbreviated CDUS Data Set report to CTEP on a quarterly basis for all DCTD funded treatment trials that do not utilize a CTEP-sponsored IND agent (commercial agents or non-NCI IND agent).

Note: Most consortium studies using a CTEP IND agent should submit a CDUS-Complete data set. If the consortium study does not use a CTEP IND agent, reporting requirements will generally be CDUS-Abbreviated.

NOTE: The NCI may choose to “upgrade” a Phase 1 or 2 treatment study from Abbreviated to Complete CDUS Data Set reporting based on the priority of a trial. Investigators will be notified in writing during the consensus review and protocol approval process regarding the reporting requirements for a given study.

Note: Adverse events and response data should be reported as per protocol guidelines.

###### **1.3.3.2.2.2. Non-Group (Cancer Center or other Institution) Trials that do not include a CTEP-sponsored IND agent or NCI Grant**

CDUS reporting is not required.

#### **1.3.3.3. Non-Treatment Trials (pharmacokinetic, cytogenetics, etc.)**

##### **1.3.3.3.1. NCTN GROUP AND NCORP RESEARCH BASE NON-TREATMENT TRIALS**

For Phase 1, 2, and 3 trials, an Abbreviated CDUS Data Set report is required. Investigators should submit an Abbreviated CDUS Data Set report to CTEP on a quarterly basis for all DCTD

sponsored NCTN Group and NCORP Research Base non-treatment trials with a total expected accrual of greater than 100 patients. CDUS reporting is not required if a DCTD sponsored NCTN Group and NCORP Research Base non-treatment trial has expected accrual of less than 100 patients.

### 1.3.3.3.2. NON-GROUP (CANCER CENTER OR OTHER INSTITUTION) NON-TREATMENT TRIALS

For Phase 1, 2, and 3 trials, CDUS reporting is not required.

### 1.3.3.4. DCP Sponsored NCORP Research Base Cancer Prevention and Control Trials (chemoprevention; biomarker and early detection; symptom management; pain control; rehabilitation and continuing care; and quality of life)

For Phase 1, 2, and 3 trials, an Abbreviated CDUS Data Set report is required. Investigators should submit an Abbreviated CDUS Data Set report to CTEP on a quarterly basis for all DCP sponsored NCTN Group and NCORP Research Base cancer prevention and control trials.

NOTE: The NCI may choose to “upgrade” a Phase 1 or 2 treatment study from Abbreviated to Complete CDUS Data Set reporting requirements based on the priority of a trial. Investigators will be notified in writing during the consensus review and protocol approval process regarding the reporting requirements for a given study.

### 1.3.3.5. Tissue Banking Studies or Archived Studies

All tissue banking studies (archived studies) are required to submit, at a minimum, the current trial status and the current trial status date quarterly.

**TABLE A: Summary of CDUS Reporting Requirements for NCTN Groups and NCORP Research Based trials.**

Study Type	DCP	DCTD Non-Treatment <sup>1</sup>	DCTD Treatment NCI Agent <sup>2</sup>	DCTD Treatment Non-NCI Agent <sup>3</sup>
Phase 1	Abbreviated	Abbreviated	Complete	Abbreviated
Phase 2	Abbreviated	Abbreviated	Complete	Abbreviated
Phase 3	Abbreviated	Abbreviated	Abbreviated	Abbreviated

**TABLE B: Summary of Reporting Requirements for Non-NCTN Group (Cancer Centers and other Institutions) Trials Utilizing DCTD CTEP-sponsored IND agents or Grant Funding (if CDUS reporting is a grant requirement).**

Study Type	DCP	DCTD Non-Treatment <sup>1</sup>	DCTD Treatment NCI Agent <sup>2</sup>	DCTD Treatment Non-NCI Agent <sup>3</sup>
Phase 1	N/A	None	Complete	Abbreviated
Phase 2	N/A	None	Complete	Abbreviated
Phase 3	N/A	None	Abbreviated	Abbreviated

<sup>1</sup> Abbreviated CDUS is required for DCTD NCTN Group and Research Base Non-Treatment trials with an expected accrual of 100 or greater patients. DCTD NCTN Group and Research Base Non-Treatment trials with expected accrual of less than 100 patients will NOT be monitored by the CDUS.

<sup>2</sup> CTMS-monitored Phase 1 trials should continue to be reported to CTEP using the CTMS system; these trials will not require additional CDUS reporting.

<sup>3</sup> Please note that the NCI may choose to “upgrade” a Phase 1 or 2 treatment study from abbreviated to complete CDUS reporting requirements based on the priority of the trial. Investigators will be notified in writing during the consensus review and protocol approval process regarding the reporting requirements for a given study.

### 1.3.3.6. Phase '0' Studies

As of 2006, CTEP has approved Phase 0 studies. These are clinical studies, usually taking place before traditional Phase 1 development, that involve limited dosing (less than 7 days and non-recurring) of an investigational agent to determine the pharmacokinetic, pharmacodynamic, imaging, or other non-toxicology properties of the agent. The trial is usually performed under an exploratory IND application. CTEP will define the types of data required at the time of the study approval.

## 1.4. WHEN DATA SHOULD BE SUBMITTED

### 1.4.1. FREQUENCY

CDUS reports must be submitted on a quarterly basis. CDUS reports are due by Jan. 31, Apr. 30, Jul. 31 and Oct. 31. These dates are referred to as the Due Date for the quarter. Efforts should be made to have files successfully loaded within two weeks of this due date. Each report should reflect administrative, demographic, accrual and clinical data as of the end of the preceding month (e.g., Dec. 31, Mar. 31, Jun. 30, and Sep. 30). These dates are referred to as the Cut-Off Dates for the quarters. The first CDUS submission is due the quarter after the protocol has been approved by the NCI.

### 1.4.2. FIRST CDUS SUBMISSION DATE GUIDELINES

Date of NCI Approval Notice	First CDUS Report	Reporting Schedule (Range)
Dec. 1 to Feb. 28 (29)	Apr. 30	January through March
Mar. 1 to May 31	Jul. 31	April through June
Jun. 1 to Aug. 31	Oct. 31	July through September
Sept. 1 to Nov. 30	Jan. 31	October through December

### 1.4.3. SUBMISSION DURATION

CDUS submissions are required for all approved NCI studies until they reach a status of 'complete' or 'administratively complete' (see Section 2.1.1.5, "Current Trial Status," for a complete description of protocol statuses).

CTEP defines the term *complete* as follows: The protocol has been closed to accrual, all patients have completed therapy, and the study has met its primary objectives. A study report/publication has been submitted to CTEP. The minimal data requirements for this study report include total accrual, adverse drug experiences and study results to date. A final report/publication will be submitted to CTEP when the data have matured and been analyzed.

A CDUS submission is required if a study has been closed to accrual and treatment, but the primary objectives have not been met, or if a protocol has been approved but has not yet been activated. Once you have submitted all updated patient data for a protocol (with a current trial status of closed to accrual and treatment), you may discontinue submitting patient data. In these circumstances, a CDUS submission including the protocol administrative requirements must still be submitted quarterly until protocol completion. The appropriate response to the question "Any additions since the last report" [see Section 2.1.1.8, "Additions or Changes Since the Last Report (Change Code)"] should be 'No.' The final CDUS submission for a given protocol should have a

status of 'complete' or 'administratively complete.' No further CDUS submissions are required once the protocol has a status of either complete or administratively complete and all updated patient data has been submitted to CTEP.

If for some reason a study has a status of 'complete', but the study objectives have not been met (e.g., the study closed prematurely because of poor accrual) or the final study report is not available (e.g., the study had a status of 'complete' 10 years ago and all records have been archived) then you may 'administratively complete' the protocol.

CTEP defines the term *administratively complete* as follows: The protocol has been completed prematurely (e.g., due to poor accrual, insufficient drug supply, IND closure). The trial is closed to further accrual and all patients have completed protocol treatment. A final study report publication is not anticipated.

## **1.5. METHODS OF DATA SUBMISSION**

All data shall be submitted electronically, using a CTEP File Transfer Protocol (FTP) site or a CDUS Web site. Paper reports will not be accepted. Each electronic file should contain cumulative data for a single protocol. Electronic files should not contain data for multiple protocols.

Please refer to Section 4 for specific file format requirements.

### **1.5.1. CTEP FTP SITE**

The FTP site <ftp.ctep.nci.nih.gov> was established by NCI to accept the submission of data files. To ensure the security and integrity of all data, an account with a username and password will be created for each person at each site that will be submitting CDUS data (e.g., NCTN Groups, Cancer Centers, etc.).

Additionally, each account will be assigned to a subdirectory within the FTP site. Viewing and submission of data files will be restricted to the assigned subdirectory. Investigators will have access to the files they have submitted, until the files are removed from the site at scheduled periodic intervals.

To request any change to an existing FTP account, or to establish a new FTP account, please contact the NCI CTEP Help Desk ([ctephelpdesk@nih.gov](mailto:ctephelpdesk@nih.gov)).

NOTE: Due to patient privacy rights, the sharing of account information is forbidden by CTEP.

## **1.6. PROTOCOL CODE INFORMATION**

The Protocol Submission Worksheet (PSW) is available to assign codes to specific parameters within a clinical study. Studies that include Subgroups, Treatment Assignments, and/or Correlative Studies require the codes described below to facilitate protocol and amendment review and approval. In addition, the codes are utilized for multiple purposes and systems including the CDUS and the Adverse Event Expedited Reporting (AdEERS). Generally, CTEP supplies the codes for Subgroups, Treatment Assignments, and/or Correlative Studies; however, the PSW is available for investigators to propose code assignments and descriptions for these code assignments, if preferred. CTEP-assigned codes are submitted to the investigator both at protocol approval (provided in the Coding Letter) and quarterly with the CDUS *List of Expected*



*Protocols.* It is suggested that the coding letter be reviewed for accuracy prior to activating a study. If there are inaccuracies with the information contained in the coding letter, contact the CTEP PIO at [PIO@ctep.nci.nih.gov](mailto:PIO@ctep.nci.nih.gov) to correct.

The PSW can be found on the Forms page of the DCTD/CTEP Website.

### **1.6.1. EMBEDDED CORRELATIVE STUDIES**

A Correlative Study Identification Code and a Correlative Study Title must be provided for any laboratory, pharmacokinetic or other correlative study embedded in a clinical trial.

The Correlative Study Identification Code is a unique identification code assigned to each correlative study and is limited to ten alphanumeric characters (e.g., P-123).

The Correlative Study Title is the title given to the study (e.g., O<sup>6</sup>-benzylguanine concentrations in plasma).

### **1.6.2. SUBGROUPS**

A Subgroup Identification Code and a Subgroup Description must accompany each clinical trial where a subgroup (stratum) is used to uniformly group patients for separate analysis or treatment. Both are mandatory for studies utilizing a CTEP-sponsored IND agent.

The Subgroup Identification Code is a unique identification code assigned to each subgroup and is limited to ten alphanumeric characters (e.g., Subgroup1). Patients on studies utilizing a single subgroup are entered on a Subgroup Identification Code such as 'SubgroupA' or 'Subgroup1'

A Subgroup Description is broken into two classifications. The investigator selects the most appropriate category(s) for describing the stratification or subgroup assignment.

*Patients Stratified by Disease:* The disease(s) must be indicated for each subgroup. A comprehensive list of CTEP Disease terms is available on the DCTD/CTEP Website.

*Patients Stratified by another Classification (e.g., prior therapy, age):* The patient characteristics (other than disease) used to uniformly group patients for treatment or analysis (e.g., number of prior therapies) must be described.

### **1.6.3. TREATMENT ASSIGNMENTS (ARM/DOSE LEVELS)**

Please see the *Treatment Assignment Instructions and Guidelines* available from the DCTD/CTEP Website for a full description of Treatment Assignment Codes (TAC) and Treatment Assignment Descriptions (TAD) (see Section 2.1.2.3) for additional information).

## **2. DATA ELEMENT DESCRIPTIONS**

The following sections provide descriptions and valid values for each data element required by CDUS. Investigators may potentially be required to provide some of the data elements identified below. CTEP will also abstract some of these items from the original protocol document.

### **2.1. GENERAL SUMMARY INFORMATION**

#### **2.1.1. ADMINISTRATIVE**

### **2.1.1.1. NCI Protocol Number**

This is the number assigned to the study (protocol) by the NCI. Inter-Group protocols should use the lead group's assigned number.

Note: Local institution study numbers must not be used.

### **2.1.1.2. Protocol Title**

Supplied by CTEP. Abstracted from the protocol document.

### **2.1.1.3. Report Dates**

#### **2.1.1.3.1. DATE REPORT SUBMITTED TO CDUS**

Enter today's date (format: YYYYMMDD).

#### **2.1.1.3.2. CUT-OFF DATE FOR CDUS DATA**

The most recent date for which any data were used in compiling results (format: YYYYMMDD). This date should reflect the latest date for which information is known. For example, if it is known on March 31 that all data reported are complete for the next quarter, then March 31 would be the Cut-Off Date. However, if this information can only be confirmed as of one week prior to the end of the quarter (March 24), then the date provided would be the March 24.

#### **2.1.1.3.3. CDUS REPORT DUE DATE**

The first reporting due date is supplied by CTEP with the Notice of Protocol Approval. Reports are due on the last day of each quarter until the trial has a status of 'Complete' or 'Administratively Complete.' The due dates are January 31, April 30, July 31, and October 31 of each year.

Note: Efforts should be made to have files successfully loaded within two weeks of the due date.

#### **2.1.1.3.4. PROTOCOL ACTIVATION DATE**

The protocol activation date is the date the trial was opened to accrual.

#### **2.1.1.4. Lead Institution/Group Code (CTEP ID)**

Provided by CTEP. The unique CTEP code for the primary, or lead, institution or NCTN Group.

#### **2.1.1.5. Current Trial Status**

Enter the protocol's current status using the following codes:

- AP *Approved* - Trial has official CTEP approval.
- AC *Active* - Trial is open to accrual.
- TC *Temporarily Closed to Accrual* - Trial is temporarily not accruing.
- TB *Temporarily Closed to Accrual and Treatment* - Trial is temporarily not accruing and patients are not receiving therapy.
- CL *Closed to Accrual, Patients still on Treatment* - The protocol has been closed to patient accrual. Patients are still receiving therapy.
- CB *Closed to Accrual, All Patients have Completed Treatment* - The protocol has been closed

to patient accrual. All patients have completed therapy, but patients are still being followed according to the primary objectives of the study. No additional investigational agents are needed for this study.

- CP *Complete* - The protocol has been closed to accrual, all patients have completed therapy, and the study has met its primary objectives. A final study report/publication has been submitted to CTEP. Contact the CTEP Protocol and Information Office (PIO) at (301) 496-1367 or by e-mail at [pio@ctep.nci.nih.gov](mailto:pio@ctep.nci.nih.gov) for final study report requirements.
- AD *Administratively Complete* - The protocol has been completed prematurely (e.g., due to poor accrual, insufficient drug supply, IND closure). The trial is closed to further accrual and all patients have completed protocol treatment. A final study report is not anticipated.

Note: The code 'RE' (Reactivated) is no longer a valid option for current protocol status.

#### **2.1.1.6. Current Trial Status Date**

Provide the date that the current trial status became effective. For example, if the current status is active, and the trial became active on January 15, 2006, then 20060115 (format: YYYYMMDD) should be submitted as the current trial status date.

To assist in determining the current trial status and the current trial status date, CTEP includes this information with each site's quarterly CDUS *List of Expected Protocols*. These can be located under the column titles 'Status Code' and 'Status Date.'

#### **2.1.1.7. Person Completing the Report**

##### **2.1.1.7.1. NAME**

The person submitting the report is required to enter their first and last name in the following format: Last Name^First Name^Middle Initial. The middle initial is an optional entry.

##### **2.1.1.7.2. TELEPHONE NUMBER**

Telephone number where the person completing the report may be reached. All phone numbers should comply with the ASTM/NAN/CCITT format. For example, (NNN)NNN-NNNN; (NNN)NNN-NNNNXNNNN if using an extension; or NNN(NNN)NNN-NNNN when using an international telephone country code.

##### **2.1.1.7.3. FAX NUMBER (OPTIONAL)**

Submit a Fax number where the person completing the report may be reached. All Fax numbers should comply with the ASTM/NAN/CCITT format (see Section 2.1.1.7.2, "Telephone Number").

##### **2.1.1.7.4. E-MAIL ADDRESS (OPTIONAL)**

Submit an e-mail address where the person completing the report may be reached. Use standard SMTP format.

Note: Although this is an optional field, every effort should be made to submit this data as it has proven to be the most efficient way for CTEP to communicate with you.

#### **2.1.1.8. Additions or Changes Since the Last Report (Change Code)**

Does this report contain any new data (General Summary data or patient-specific data) or has any data been changed from the last report? Enter '1' (Yes) or '2' (No). If 'Yes' is entered, then submit all available data to CTEP. If 'No' is entered, then only General Summary; Administrative data is required. When submitting data on a protocol for the first time, the response should be '1' (Yes).

Note: Please remember that even with the submission of Change Code = 2, the CDUS Business Rules will fire for any data that might be included in your submitted file.

Note: With the implementation of the AdEERS/CDUS Reconciliation Module in April 2006, all AdEERS adverse events will be checked against all CDUS adverse events that are in the CTEP database for discrepancies.

#### **2.1.1.9. Principal Investigator**

Provided by CTEP. Abstracted from the protocol document.

##### **2.1.1.9.1. NAME**

Principal Investigator's Name (Last Name^First Name^Middle Initial).

##### **2.1.1.9.2. INVESTIGATOR NUMBER**

Principal Investigator's NCI Investigator Number.

#### **2.1.1.10. Funding Information**

Provide to CTEP any funding or grant information using the Protocol Submission Worksheet (PSW), if applicable. See Section 1.6 for more information on the PSW.

##### **2.1.1.11. Total Accrual**

###### **2.1.1.11.1. TOTAL PLANNED ACCRUAL**

The total number of patients estimated to be accrued to the study based on the information provided in the original protocol.

CTEP will abstract and enter the Total Planned Accrual from the protocol document at the time of protocol approval.

###### **2.1.1.11.2. AMENDED PLANNED ACCRUAL**

The revised total number of patients estimated to be accrued to the study based on the information provided in the most recently received protocol amendment.

CTEP will abstract and enter the Amended Planned Accrual from the protocol amendment at the time of amendment approval.

###### **2.1.1.11.3. ACTUAL ACCRUAL**

A system calculation based on the actual number of patients accrued to date on the study as reported by the lead Group or lead Institution.

Actual Accrual is based on the total number of patients registered on study.

#### **2.1.1.12. Accrual Rate (patients/month)**

##### **2.1.1.12.1. PLANNED ACCRUAL RATE**

The total number of patients estimated to be accrued to the study on a monthly basis based on the information provided in the original protocol.

CTEP will abstract and enter the Planned Accrual Rate from the protocol document at the time of protocol approval.

##### **2.1.1.12.2. AMENDED ACCRUAL RATE**

The revised total number of patients estimated to be accrued to the study on a monthly basis based on the information provided in the most recently received protocol amendment.

CTEP will abstract and enter the Amended Accrual Rate from the protocol amendment at the time of amendment approval.

##### **2.1.1.12.3. ACTUAL ACCRUAL RATE**

A system calculation based on the total number of patients accrued to date on the study as reported by the lead Group or lead Institution divided by the total number of months the study has the status of Active in the CTEP database.

The CDUS uses data from the Actual Accrual (see Section 2.1.1.11.3) to make this calculation.

#### **2.1.1.13. Closure Date**

##### **2.1.1.13.1. PLANNED CLOSURE DATE**

The estimated date the study will meet its accrual goal calculated by the Total Planned Accrual and the Planned Accrual Rate (e.g.,  $\text{Total Planned Accrual} / \text{Planned Accrual Rate} + \text{Activation Date} = \text{Planned Closure Date}$ ).

CTEP will abstract and enter the Planned Closure Date from the protocol document at the time of protocol approval.

##### **2.1.1.13.2. AMENDED CLOSURE DATE**

The estimated date the study will meet its accrual goal calculated by the Total Planned (or Amended Planned) Accrual and the Planned (or Amended) Accrual Rate. All calculations reflect the most recent amendment.

CTEP will abstract and enter the Amended Closure Date from the protocol amendment at the time of amendment approval.

##### **2.1.1.13.3. PROJECTED CLOSURE DATE**

A system calculation based on multiplying the Actual Accrual Rate to determine the number of additional months needed to reach the Total Planned Accrual or Amended Planned Accrual (e.g.,

Total Planned Accrual/Actual Accrual Rate + Activation Date = Projected Closure Date).

### **2.1.2. SUBGROUPS/TREATMENT ASSIGNMENTS**

A subgroup (stratum) is a unique patient characteristic used to uniformly group patients for separate analysis or treatment.

A treatment assignment is a unique treatment characteristic that will be used to uniformly group patients for separate analysis or treatment (e.g., Phase 2 or 3 treatment arm and Phase 1 dose levels). Each arm or dose level should be considered a distinct treatment assignment.

Subgroup and Treatment Assignment Codes (TACs) may be submitted using the Protocol Submission Worksheet (PSW). See Section 1.6 for more information on the PSW.

#### **2.1.2.1. Subgroup Code**

Each subgroup should have a unique code for identification. The investigator may provide a code (up to 10 characters) for each subgroup with the PSW. CTEP will abstract the subgroup code(s) from the PSW. If a protocol has only one subgroup, then CTEP suggests using a Subgroup code such as 'SubgroupA' or 'Subgroup1'.

#### **2.1.2.2. Subgroup Description**

##### **2.1.2.2.1. PATIENTS STRATIFIED BY DISEASE**

The investigator will provide the disease for each subgroup with the PSW. Investigators should use CTEP Terms. Based on investigator input, CTEP will abstract the disease for each subgroup from the PSW.

##### **2.1.2.2.2. PATIENTS STRATIFIED BY OTHER CLASSIFICATION (E.G., PRIOR THERAPY, AGE)**

The investigator will provide the patient characteristics (other than disease) for each subgroup with the PSW. Based on investigator input, CTEP will abstract the patient characteristics for each subgroup from the PSW.

#### **2.1.2.3. Treatment Assignment (arm/dose level)**

Please see the Treatment Assignment Instructions and Guidelines available from the DCTD/CTEP Website for a full description of Treatment Assignment Codes (TAC) and Treatment Assignment Descriptions (TAD).

Because the CDUS Smart Loader will only accept pre-defined TACs, a failure to provide CTEP with enough advance notification will result in rejection of the entire CDUS data set. Notification is achieved by sending a Treatment Assignment request to the Protocol and Information Office (PIO) via e-mail at [pio@ctep.nci.nih.gov](mailto:pio@ctep.nci.nih.gov).

Note: Only those TACs which have been quality checked by CTEP will be considered valid value TACs by CDUS.

### **2.1.3. CORRELATIVE STUDIES**

Correlative studies are laboratory, pharmacokinetic or other analyses embedded within the

primary protocol. A separate entry should be made for each correlative study. Correlative study titles and codes may be provided by investigators with the Protocol Submission Worksheet (PSW). A separate correlative study should be defined for each analysis.

Note: The reporting requirements for correlative study information include protocols assigned to both CDUS-Abbreviated and to CDUS-Complete reporting. See Section 1.6 for more information on the PSW.

#### **2.1.3.1. Correlative Study Identification (ID)**

Each correlative study should have a unique identification code. The investigator may provide a code for each correlative study with the PSW. CTEP will abstract the correlative study code from the PSW.

#### **2.1.3.2. Correlative Study Title (laboratory, pharmacokinetic or other correlative studies)**

Correlative study(s) titles may be provided by investigators with the PSW. CTEP will abstract the correlative study title from the protocol.

#### **2.1.3.3. Correlative Study Findings**

Using a separate entry for each correlative study, provide the following information:

##### **2.1.3.3.1. PATIENTS COLLECTED**

The number of patients for whom samples (blood, urine, tissue, etc.) have been collected.

##### **2.1.3.3.2. PATIENTS ANALYZED**

The number of patients for whom samples (blood, urine, tissue, etc.) have been analyzed.

##### **2.1.3.3.3. SAMPLES COLLECTED**

The number of samples gathered across patients. For example, if three samples were collected for six patients on the correlative study, then 18 samples would be reported.

##### **2.1.3.3.4. SAMPLES ANALYZED**

The number of samples analyzed across patients.

##### **2.1.3.3.5. CORRELATIVE STUDY FINDINGS OR CONCLUSIONS**

If known, briefly describe any correlative study findings or conclusions (free text field-optional).

#### **2.1.4. PHASE 1 END POINTS AND PHASE 1 END POINT DLTs**

Depending on protocol objectives, the Phase 1 end points reporting includes either the recommended Phase 2 dose or the minimum effective dose. This information is mandatory for Phase 1 studies assigned to CDUS Complete reporting. This information is not required for other studies.

##### **2.1.4.1. Subgroup Code**

Please use the appropriate code (see Section 2.1.2.1, “Subgroup Code”) for designating each subgroup. A separate entry should be made for each subgroup. If a protocol has only one subgroup, CTEP suggests using a Subgroup code such as 'SubgroupA' or 'Subgroup1'.

#### **2.1.4.2. Recommended Phase 2 Dose or Minimum Effective Dose**

If known, provide the TAC [see Section 2.1.2.3, “Treatment Assignment (arm/dose level)”] for the recommended Phase 2 dose or minimum effective dose for each subgroup as applicable. Determination of the recommended Phase 2 dose or minimum effective dose should be based on protocol criteria.

##### **2.1.4.2.1. DOSE LIMITING TOXICITY (DLT)**

###### **2.1.4.2.1.1. Subgroup**

Select the appropriate code (see Section 2.1.2.1, “Subgroup Code”) this patient was entered on. CTEP suggests coding patients enrolled on a protocol with a single subgroup with a Subgroup code such as 'SubgroupA' or 'Subgroup1'.

###### **2.1.4.2.1.2. Treatment Assignment**

Select the appropriate code (see Section 2.1.2.3, “Treatment Assignment (arm/dose level)”) for the patient’s treatment assignment for this course (e.g., Phase 2 treatment arm, Phase 1 dose levels). Patients enrolled on a protocol with a single treatment assignment should be coded with a Treatment Assignment Code such as 'TAC1' or 'TACA'.

###### **2.1.4.2.1.3. DLT Type**

If known, select the appropriate Adverse Event term (NCI Common Terminology Criteria for Adverse Events—CTCAE v3.0 or CTCAE v4.0) . See the DCTD/CTEP Website for the list of terms for identification of the dose limiting toxicity(s). Determination of dose limiting Adverse Events should be based on protocol criteria. More than one DLT may be entered.

Note: Either CTCAE v3.0 or CTCAE v4.0 will be used to identify and submit the Adverse Event(s) depending on the assignment made to the protocol by CTEP. Only values available from the CTCAE v3.0 will be accepted for protocols assigned to CTCAE v3.0 and only values available from the CTCAE v4.0 will be accepted for protocols assigned to CTCAE v4.0.

###### **2.1.4.2.1.4. DLT (Adverse Event) Other, Specify**

Using the NCI Common Terminology Criteria for Adverse Events (CTCAE v3.0 or CTCAE v4.0) provide the specific DLT in the AE\_Other\_Specify field when 'Other, Specify' is selected from the AE\_Type\_Code field. See Section 2.2.3.9.2.3 ,” for additional coding details and the two options for submitting AE\_Other\_Specify).

Note: Other, Specify should only be used if there is not an appropriate CTCAE term for the event. CTEP must approve uses of the 'Other, Specify' free-text field.

#### **2.1.5. GENERAL DATA SUMMARY BY SUBGROUP AND/OR TREATMENT ASSIGNMENT (TRIAL COMMENTS)**



The General Data Summary by subgroup and/or treatment assignment is optional for trials assigned to CDUS-Complete reporting (e.g., Phase 1 and 2 trials with CTEP-sponsored IND agents). This information is not required for other studies.

### **2.1.5.1. Subgroup/Treatment Assignment Code**

Please use the appropriate code [see Section 2.1.2.1, “Subgroup Code,” and Section 2.1.2.3, “Treatment Assignment (arm/dose level)”] for designating each different combination of subgroup and/or treatment assignment. A separate entry should be made for each subgroup and/or treatment assignment combination.

#### **2.1.5.1.1. ADVERSE EVENT/DOSE MODIFICATIONS BY SUBGROUP AND/OR TREATMENT ASSIGNMENT**

If known, please provide any observations or conclusions regarding Adverse Events and dose modifications that may not be apparent from other information on this report (free text field).

#### **2.1.5.1.2. RESPONSE BY SUBGROUP AND/OR TREATMENT ASSIGNMENT**

If known, please provide any observations or conclusions regarding response that may not be apparent from other information on this report (free text field).

### **2.1.6. PUBLICATIONS**

A publication citation must be provided if any data for this study or any associated embedded correlative study has been published.

#### **2.1.6.1. Publication Identification (ID)**

The investigator assigns a unique code to identify the publication for CDUS purposes. A sequential number is recommended.

For each publication, provide either the National Library of Medicine citation identification (Medline UID) or the full citation (e.g., title, author, page number, etc.).

##### **2.1.6.1.1. CITATION IDENTIFICATION (MEDLINE UID)**

Specify the National Library of Medicine (NLM) Citation Unique Identifier (Medline UID). The Medline UID is a unique 8-character, alphanumeric code supplied for every publication included in Medline. Entry of the Medline UID eliminates the requested entry of the data elements that follow (Sections 2.1.6.1.2.1 through 2.1.6.1.2.7).

OR

##### **2.1.6.1.2. FULL CITATION**

###### **2.1.6.1.2.1. Author Order and Name**

Specify whether each author is the first author, second author, etc. (e.g., 1, 2, 3, etc.) and provide the author's name in the following format: Last Name^First Name^Middle Initial, e.g., Adams^John^Q.

###### **2.1.6.1.2.2. Title**

Enter the title of the article as it appears in the publication.

**2.1.6.1.2.3. Journal**

Enter the name of the journal where the article appears.

**2.1.6.1.2.4. Volume**

Enter the volume number of the journal.

**2.1.6.1.2.5. Year**

Enter the year that the journal was published.

**2.1.6.1.2.6. Publisher**

Enter the name of the publisher who produced the journal.

**2.1.6.1.2.7. Pages**

Enter the first and last page numbers of the article.

**2.2. PATIENT-SPECIFIC DATA**

**2.2.1. PATIENT DEMOGRAPHIC ITEMS**

Per CTEP guidelines, patient data are required via CDUS submission for every patient registered on a trial regardless of monitoring method (e.g., CDUS-Complete, CDUS-Abbreviated).

**2.2.1.1. Patient Study ID**

Enter the code that uniquely identifies the patient to this protocol. This unique code or ID was assigned when the patient was registered on the study.

Note: All correspondence (e.g., an Expedited Adverse Event Report) to CTEP regarding this patient on this protocol must use this unique identifier. Please contact CTEP regarding any changes to a patient ID on this trial (e.g., patient transfer to a new institution/Group).

**2.2.1.2. Patient Zip Code**

For U.S. residents: Enter the patient's home (residence) five-digit Zip code, for example 12345. The Zip code should not be submitted for patients who are not U.S. residents. The last four digits of the complete nine-digit Zip code should not be submitted to assure patient confidentiality.

**2.2.1.3. Patient Country Code**

For non-U.S. residents only. This should be used when patient participation from foreign countries is involved. For patients from outside the U.S., enter the foreign country code. Leave blank if the patient is a U.S. resident. CTEP is using the International Standards Organization country codes. If unsure of a foreign country code, please check the DCTD/CTEP Website.

Note: Either Zip code (if U.S. resident) or country code (if not U.S. resident) is mandatory.

#### **2.2.1.4. Patient Birth Date**

Enter the year and month of the patient's birth (format: YYYYMM). To assure patient confidentiality, only submit the year and month of the patient's birth, do not submit the day of birth.

#### **2.2.1.5. Patient Sex**

Enter the appropriate code:

1 = Male

2 = Female

9 = Unknown

Note: The use of the value 'Unknown' for a patient's sex should only be used as a final alternative.

#### **2.2.1.6. Patient Race and Ethnicity**

All NCI-sponsored trials must comply with the race and ethnicity reporting requirement guidelines set forth by the Health and Human Services, Office of Management and Budget. The guidelines are as follows:

The ability to classify patients under more than one racial category,

The separation of patient race and patient ethnicity into two data elements

##### **2.2.1.6.1. ETHNICITY FLAG**

Provide the patient's ethnicity using the code and descriptions below. The Ethnicity\_Flag is used to identify patients with Hispanic or Latino culture or origin, defined as a person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race. It does not permit a multiple response that would indicate an ethnic heritage that is both Hispanic/Latino and not Hispanic/Latino.

1 = Hispanic or Latino: A person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race.

2 = Not Hispanic or Latino: A person NOT meeting the definition for Hispanic or Latino.

8 = Not Reported: Patient refused or data not available

9 = Unknown: Patient is unsure of their ethnicity

Notes: The use of the value 'Not Reported' or 'Unknown' for a patient's ethnicity should only be used as a final alternative.

Patient ethnicity data is collected through the PATIENTS table (see 4.3.5 for table information).

##### **2.2.1.6.2. RACE CODE**

Provide the patient's race using the code and descriptions below. More than one race code may be used to classify patients who are multiracial. For example, a person of European and Chinese origins will be classified as '01' (White) and '05' (Asian).

01 = White: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa.

03 = Black or African American: A person having origins in any of the black racial groups of Africa.  
04 = Native Hawaiian or Other Pacific Islander: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

05 = Asian: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

06 = American Indian or Alaska Native: A person having origins in any of the original peoples of North and South America (including Central America), and who maintains tribal affiliation or community attachment.

98 = Not Reported: Patient refused or data not available

99 = Unknown: Patient is unsure of their race

Notes: The use of the value 'Not Reported' or 'Unknown' for a patient's race should only be used as a final alternative.

Patient race data is collected through the PATIENT\_RACES table (see 4.3.6 for table information).

#### **2.2.1.7. Patient Method of Payment**

For U.S. residents, report the patient's primary method of payment using the codes listed below. Do not select a value for Non-U.S. residents.

1 = Private Insurance

2 = Medicare

3 = Medicare and Private Insurance

4 = Medicaid

5 = Medicaid and Medicare

6 = Military or Veterans Sponsored, Not Otherwise Specified (NOS) 6A = Military Sponsored (including CHAMPUS or TRICARE) 6B = Veterans Sponsored

7 = Self pay (no insurance)

8 = No means of payment (no insurance)

98 = Other

99 = Unknown

Note: If the patient uses two payment methods and cannot determine which one is the primary, report one method through the Method\_of\_Payment field, report the second method through the TRIAL\_COMMENTS table.

#### **2.2.1.8. Date of Patient Entry**

Provide the date the patient entered the study (format: YYYYMMDD). CTEP recommends using the date the patient signed the Informed Consent form.

#### **2.2.1.9. Registering Group Code**

Enter the unique CTEP Group code where the patient was originally registered on study. All trials with Group participation are requested to provide the Group Code regardless of whether the study is classified as an Intergroup trial or not. For example, if the lead organization is an institution, but an NCTN Group is a participant, CTEP requests that the Registering Group information be submitted. If unsure of the CTEP Group code, please check the DCTD/CTEP Website.

Note: The following is clarification on the use of the Clinical Trials Support Unit (CTSU) value as a Registering Group Code.

Assign to 'CTSU' if: The patient was registered through the CTSU Data Operations Center AND the patient was NOT accrued from an NCTN Group institution or Investigator.

Assign to the appropriate NCTN Group if: The patient was accrued from an NCTN Group institution or Investigator (regardless of whether the patient was registered through the CTSU Data Operations Center).

Assign to 'Other' if: The patient was NOT registered through the CTSU Data Operations Center AND the patient was NOT accrued from an NCTN Group institution or Investigator.

For more information on the CTSU, please go to [www.ctsus.org](http://www.ctsus.org).

#### **2.2.1.10. Registering Institution Code**

Refer to the CTEP Web site for Institution names and codes or for assistance in determining the correct Registering Institution Code for patients registered outside the Lead Group on an Intergroup trial.

##### **2.2.1.10.1. NON-NCTN GROUP STUDIES**

Enter the unique CTEP institution code where the patient was originally registered on study (e.g., institution where the patient signed the Informed Consent).

If unsure of an institution's CTEP institution code, please refer to the institution codes listed on the DCTD/CTEP Website. If an institution code still cannot be located, please contact the NCI CTEP Help Desk.

##### **2.2.1.10.2. NCTN GROUP STUDIES**

Enter the unique CTEP institution code where the patient was originally registered on study (e.g., institution where the patient signed the Informed Consent). For patients registered at a NCORP institution, provide either the NCORP main member or the NCORP component institution code.

Please refer to the rosters available through the Clinical Trials Monitoring Branch Audit Information System (CTMB-AIS) for institution and NCORP code information. Institution codes not found in an NCTN Group's roster can be found on the DCTD/CTEP Website. If an institution code still cannot be located, please contact the NCI CTEP Help Desk.

Note: It is expected that there would be just one registering institution code per patient per trial.

##### **2.2.1.11. Disease Code**

Please indicate the primary patient's cancer diagnosis. Use CTEP Terms and MedDRA Codes. If unsure of a disease term and/or code, please check the DCTD/CTEP Website for a list of values and MedDRA Codes.

Note: If the patient's disease includes two primary cancer diagnoses, one should be reported through the Disease\_Code field and the other cancer diagnosis should be reported through the

TRIAL\_COMMENTS table.

Note: As of 2005, Patient Disease Code is Mandatory for studies sponsored by CTEP and approved on or after 10/01/2004 regardless of CDUS-Complete or CDUS-Abbreviated method of monitoring.

## **2.2.2. PATIENT ADMINISTRATIVE ITEMS**

Most patient administrative items are mandatory only for trials assigned to CDUS Complete reporting (e.g., Phase 1 and 2 trials with CTEP-sponsored IND agents) and are not required for other studies.

NOTE: The exception to this is the PATIENT DISEASE information. Patient Disease information is MANDATORY for any CTEP study approved on or after 10/01/2004 or for any study requesting to use the CTEP Simplified Disease Classification (SDC) regardless of the method of monitoring assigned.

Items such as Off Treatment Reason, Last Treatment Date, Off Study Reason, and Off Study Date are mandatory when applicable. Example, if the patient is still being treated, these items would not be applicable.

### **2.2.2.1. Treatment Status (Treatment On Study)**

Is the patient currently receiving protocol treatment on-study? Enter '1' (Yes) or '2' (No).

### **2.2.2.2. Off Treatment Reason**

If the patient is off protocol treatment, please select the most appropriate reason the patient has discontinued the treatment:

01 = Treatment completed per protocol criteria.

02 = Disease progression, relapse during active treatment.

03 = Adverse Event/Side Effects/Complications [patient removed from treatment because of treatment side effects (either physician directed or patient choice) or because of treatment complications (e.g., infection from placement of catheter)].

04 = Death on study [patient died during active treatment].

Note: CTEP defines "active treatment" as any form of therapy identified in the schema of the protocol (e.g., surgery; radiation; commercial chemotherapy agents, investigational agents).

05 = Patient withdrawal/refusal after beginning protocol therapy [patient refused to continue protocol therapy for reasons other than side effects, Adverse Event, or complications (e.g., cost, travel)].

06 = Patient withdrawal/refusal prior to beginning a protocol therapy.

07 = Alternative therapy [patient removed from protocol therapy in order to receive an alternative therapy, in spite of not meeting criteria for progression/relapse or experiencing unacceptable Adverse Event].

08 = Patient off-treatment for other complicating disease. 10 = Lost to follow-up.

11 = Cytogenetic resistance [the resistance to the treatment by the tissue or tumor due to a genetic trait in the patient].

12 = Disease progression before active treatment. Refer to value '04' (above) for the definition of "active treatment."

13 = No treatment, per protocol criteria. 98 = Other.

Note: If the Off Treatment Reason is 06, 12, or 13 above, CTEP expects no treatment data submitted.

### 2.2.2.3. Date of Last Treatment

If the patient is off protocol treatment, please provide the date of the patient's last treatment on their last treatment course. This date is mandatory when the patient is reported as being off protocol treatment (in YYYYMMDD format).

### 2.2.2.4. Off Study Reason

Provide the reason the patient went off-study using the following valid values: 01 = Protocol-defined follow-up completed

02 = Patient lost to follow-up 03 = Patient refused follow-up 04 = Death

05 = Adverse Event/Side Effects/Complications 98 = Other

### 2.2.2.5. Off Study Date

Provide the date that the patient went off study (in YYYYMMDD format).

### 2.2.2.6. Subgroups

Select the appropriate code (see Section 2.1.2.1, "Subgroup Code") for the subgroup this patient was entered on. Patients enrolled on a protocol with a single subgroup should be coded using a Subgroup code such as 'SubgroupA' or 'Subgroup1'.

### 2.2.2.7. Ineligibility Status

Has the patient been declared ineligible? Enter '1' (Yes), or '2' (No). Enter 'Yes' only if the patient has been declared *ineligible*.

Note: All patients registered on the study are considered eligible until determined to be ineligible. Patients who are registered on a study should not be removed from your CDUS reporting due to an ineligibility status.

### 2.2.2.8. Baseline Performance Status

Enter the patient's performance status at protocol entry. Please use the Performance Status Criteria as shown in Table C. A conversion for Karnovsky scores to Zubrod scores is provided. Please convert other performance scales (CALGB, Karnovsky, Lansky) to the most appropriate corresponding Zubrod score.

**TABLE C: Performance Status Criteria**

ECOG (Zubrod)		Karnofsky		Lansky <sup>5</sup>	
Score	Description	Score	Description	Score	Description
0	Fully active, able to carry on all pre-disease performance without	100	Normal, no complaints, no evidence of disease.	100	Fully active, normal.

	restriction.	90	Able to carry on normal activity; minor signs or symptoms of disease.	90	Minor restrictions in physically strenuous activity.
1	Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light housework, office work.	80	Normal activity with effort; some signs or symptoms of disease.	80	Active, but tires more quickly
		70	Cares for self, unable to carry on normal activity or do active work.	70	Both greater restriction of and less time spent in play activity.
2	Ambulatory and capable of all self-care but unable to carry out any work activities. Up and about more than 50% of waking hours.	60	Requires occasional assistance but is able to care for most of his/her needs.	60	Up and around, but minimal active play; keeps busy with quieter activities.
		50	Requires considerable assistance and frequent medical care.	50	Gets dressed, but lies around much of the day; no active play; able to participate in all quiet play and activities.
3	Capable of only limited self-care, confined to bed or chair more than 50% of waking hours.	40	Disabled, requires special care and assistance.	40	Mostly in bed; participates in quiet activities.
		30	Severely disabled, hospitalization indicated. Death not imminent.	30	In bed; needs assistance even for quiet play.
4	Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair.	20	Very sick, hospitalization indicated. Death not imminent.	20	Often sleeping; play entirely limited to very passive activities.
		10	Moribund, fatal processes progressing rapidly.	10	No play; does not get out of bed.

5 The conversion of the Lansky to ECOG scales is intended for NCI reporting purposes only.

6 Karnofsky and Lansky performance scores are intended to be multiples of 10.

## 2.2.2.9. Prior Therapy

### 2.2.2.9.1. NUMBER OF PRIOR CHEMOTHERAPY REGIMENS

If a patient has previously received a chemotherapy regimen, provide the number of single or multi-agent chemotherapy regimens received. A regimen is described as a distinctive planned collection of agent(s) and/or modalities to be utilized together during a cycle or course of therapy. The total number should include a chemotherapy regimen that was discontinued for any reason (e.g., completion of therapy, Adverse Event, or disease progression). If a prior treatment was ABVD/CHOP, it should be coded as one chemotherapy regimen.

Note: The total number of other prior therapy types (e.g., surgery) is not required here and must not be included in this number.

### 2.2.2.9.2. PRIOR THERAPY TYPE (MEDDRA CODE)



Please indicate all prior cancer treatment the patient has received. More than one therapy may be included. Multi-modality treatments should be listed separately (e.g., mastectomy followed by tamoxifen – code as surgery and hormonal therapy). Use CTEP Terms and the codes listed in the Medical Dictionary for Regulatory Activities (MedDRA) (see the DCTD/CTEP Website for a list of therapy terms and MedDRA codes).

*Anti-Retroviral Therapy:* Agents administered to control the replication and/or spread of viruses (e.g., TAT therapy for HIV-1).

*Antisense:* Treatment with an agent that prevents or impairs the translation of the genetic message for production of a specific protein.

*Bone Marrow Transplant:* High dose chemotherapy combined with transplantation of bone marrow cells (e.g., allogeneic, syngeneic, autologous bone marrow or peripheral blood stem cell transplantation).

*Chemotherapy Not Otherwise Specified (NOS):* Non-systemic chemotherapy treatment (e.g., intra-peritoneal, intra-cavitary, intra-theal), or chemotherapy not described by Chemotherapy Single Agent Systemic or Multi-Agent Systemic.

*Chemotherapy Multiple Agent Systemic:* Systemic chemotherapy with a regimen containing multiple agents. A regimen is described as a distinctive collection of agent(s) and/or modalities to be utilized together during a cycle or course of therapy. All routes of administration are acceptable as long as the agent is intended for systemic therapy.

*Chemotherapy Non-Cytotoxic:* Prior therapy with agents that are not known to cause damage to cycling cells (e.g., endostatin, mmpi, bevacizumab).

*Chemotherapy Single Agent Systemic:* Systemic chemotherapy with a single agent regimen. A regimen is described as a distinctive collection of agent(s) and/or modalities to be utilized together during a cycle or course of therapy. All routes of administration are acceptable as long as the agent is intended for systemic therapy.

*Gene Transfer:* Treatment of human disease by gene transfer.

*Hematopoietic stem cell transplantation:* The intravenous infusion of autologous or allogeneic stem cells collected from the bone marrow, peripheral blood, or umbilical cord blood to reestablish hematopoietic function in patients with damaged or defective bone marrow or immune systems.

*Hormonal Therapy:* Cancer therapy, which incorporates hormonal manipulation (e.g., tamoxifen, androgen deprivation).

*Image Directed Local Therapy:* A technique whereby an imaging method is used to diagnose, localize and/or treat a carcinogenic lesion, for example, a breast lump. A non-palpable carcinoma may be diagnosed by image-directed biopsy or needle localization. Breast-conserving surgery can be conducted with pre surgical localization with a guide wire using a diagnostic imaging method.

*Drug and/or Immunotherapy:* Biologic cancer therapy. Manipulation of the body's immune system, either directly or indirectly, with therapeutic intent, e.g., tumor vaccines, monoclonal antibodies, cytokines (interferons, interleukins, tumor necrosis factor). Do not include biologic

therapy as supportive care (e.g., G-CSF for immuno-protection).

*No Prior Therapy*: No previous exposure to drug (NOS).

*Oncolytic Virotherapy*: Anticancer treatment with a live, replication-competent virus.

*Radiation Therapy*: Targeted ionizing radiation therapy utilizing radioactive implants or seeds.

Note: Per the MedDRAv9.0 codes, the *Radiation Therapy* term combines the following therapies:

*Extensive Radiation*: Cancer therapy using ionizing radiation to a significant (>50%) portion of the body (e.g., craniospinal, total body irradiation, or pelvic radiation).

*Limited Radiation*: Cancer therapy using ionizing radiation to a limited (<50%) portion of the body.

*Surgery*: Surgical procedure, or operation, with therapeutic intent. Do not include diagnostic procedures (e.g., biopsy).

*Therapy Not Otherwise Specified (NOS)*: A therapy used prior to this treatment for which none of these selections is appropriate. Cryotherapy, phototherapy

*Vaccine*: A substance or group of substances administered to induce the immune system to recognize and destroy tumors or microorganisms, which can be used for prevention, amelioration, or treatment of diseases.

The table below represents the Codes used for Prior Therapy code assignment.

**TABLE D: Codes for Prior Therapies**

<b>CTEP Term</b>	<b>Preferred Term</b>	<b>v9.0 Code</b>	<b>v10.0 Code*</b>
Anti-Retroviral Therapy	Not Available	90003000	90003000
Antisense	Not Available	90003002	90003002
Bone Marrow Transplant	Bone Marrow Transplant NOS	10061730	10061730
Chemotherapy (NOS)	Chemotherapy (NOS)	10050693	10050693
Chemotherapy multiple agents systemic	Chemotherapy multiple agents systemic	10008452	10008452
Chemotherapy non-cytotoxic	Not Available	90003014	90003014
Chemotherapy single agent systemic	Chemotherapy single agent systemic	10008456	10008456
Drug and/or immunotherapy	Not Available	90003006	90003006
Gene Transfer	Gene Transfer	90003004	90003004
Hematopoietic stem cell transplantation		10063581	10063581
Hormonal Therapy	Steroid Therapy NOS	10065646	10065646
Image Directed local therapy		90003016	90003016
No prior therapy	No previous exposure to drug NOS	10052052	10052052
Oncolytic Virotherapy	Not Available	90003008	90003008
Prior Therapy (NOS)	Not Available	90003010	90003010
Radiation Therapy	Radiotherapy	10037770	10037770
Surgery	Operation NOS	10042609	10042609
Therapy (NOS)	Not Available	90003012	90003012
Vaccine	Prophylaxis NOS	10021430	10021430

\*v10.0 codes became mandatory on 7/1/2007.

### **2.2.2.10. Patient Disease Code**

Please indicate the patient's primary cancer diagnosis. Use CTEP Codes. If unsure of a disease term and/or code, please check the DCTD/CTEP Website for a list of Codes.

Note: If the patient's disease includes two primary cancer diagnoses, one should be reported through the Disease\_Code field and the second primary cancer diagnoses should be reported through the TRIAL\_COMMENTS table.

Note: As of 2005, Patient Disease Code is Mandatory for studies sponsored by CTEP and approved on or after 10/01/2004 regardless of CDUS-Complete or CDUS-Abbreviated method of monitoring. Patient Disease Code is also mandatory for any CTEP study requesting to submit CTEP Simplified Disease Classification Codes regardless of approval date.

### **2.2.2.11. Response Evaluation Status**

Based on the criteria specified within the protocol, determine if the patient is evaluable for a response (see Section 2.2.4, "Response of Patient's Malignancy," for additional information).

### **2.2.2.12. Baseline Abnormalities Flag**

Indicate whether abnormalities were found during the patient's initial history and physical examination. Baseline abnormality information will provide CTEP with a baseline to use when analyzing treatment-related adverse events. The valid values for this field are '1' (Yes), '2' (No), and '9' (Unknown). Set the flag to '1' (Yes) if abnormalities were found during the patient's initial examination.

The following information must be submitted through the BASELINE\_ABNORMALITIES table (see Section 4.3.10, “BASELINE\_ABNORMALITIES Table”) when this flag is set to '1' (Yes).

#### **2.2.2.12.1. BASELINE ABNORMALITY TYPE, GRADE, AND OTHER, SPECIFY**

Report the Baseline Abnormality Type and Grade using either the NCI Common Terminology Criteria for Adverse Events (CTCAE v3.0 or CTCAE v4.0). Provide the specific adverse event in the AE\_Other\_Specify field when 'Other, Specify' is selected from the AE\_Type\_Code field. See Section 2.2.3.9.2.3, “Adverse Event. Other, Specify” for additional coding details and the two options for submitting AE\_Other\_Specify).

Notes to review:

- Baseline Abnormality is defined by CTEP as any abnormal assessment (e.g., physical finding, subjective complaint, or diagnostic test abnormality) identified as part of the routine pre-study work-up for which a CTCAE term exists. Document an adverse event at baseline in the same manner as you would document an adverse event during a treatment cycle.
- Either CTCAE v3.0 or CTCAE v4.0 will be used to identify and submit the adverse event(s) depending on the assignment made to the protocol by CTEP. Only values available from the CTCAE v3.0 will be accepted for protocols assigned to CTCAE v3.0 and only values available from the CTCAE v4.0 will be accepted for protocols assigned to CTCAE v4.0.
- Do not submit a patient's diagnosis and/or pre-existing condition as these are normally not CTCAE terms. These terms are currently being submitted inappropriately by using the Other, Specify mechanism. The Other, Specify option should only be used if there is not an appropriate adverse event term available. If there are any questions, please query the NCI CTEP Help Desk.

#### **2.2.3. PATIENT TREATMENT BY COURSE**

CTEP defines the term *course (cycle)* as the following: A series of medical treatments or procedures (e.g., drug, biologic, radiation) administered over a designated period. The treatment plan may call for repeated courses (cycles) of the treatment. The start, end points, and frequency of a course (cycle) should be defined by protocol criteria. If a course (cycle) is not defined by a protocol (e.g., chronic once daily dosing of an oral medication), the patient follow-up schedule may be utilized to define the course length.

Patient Treatment by Course is mandatory for trials assigned to CDUS-Complete reporting (e.g., Phase 1 and 2 trials with CTEP-sponsored IND agents), and is not required for other studies.

##### **2.2.3.1. Course Identification**

Indicate the course (cycle) of treatment that is being reported on (e.g., 1, 2, 3,), using the definition of treatment course given in the protocol. Use only numeric values to define the course; non-numeric values are not accepted. The course identification is to be numbered sequentially; the CDUS Smart Loader will validate that the course information is provided in chronological order. For example, the start date for course 2 should be later than the start date for course 1.

Note: When submitting a Course\_ID for crossover studies, it is recommended that a second

numbering convention be used to differentiate between the two regimens. For example:

- Course ID sequence for initial courses: 1, 2, 3, etc.
- Course ID sequence for crossover courses: 101, 102, 103, etc.

#### **2.2.3.2. Course Start Date**

Enter the date the course (cycle) began (format: YYYYMMDD).

#### **2.2.3.3. Treatment Assignment**

Select the appropriate code [see Section 2.1.2, “Subgroups/Treatment Assignments” and Section 2.1.2.3, “Treatment Assignment (arm/dose level)”] for the patient’s treatment assignment this course (e.g., Phase 2 treatment arm, Phase 1 dose levels). Patients enrolled on a protocol with a single treatment assignment should be given a Treatment Assignment code such as ‘TAC1’ or ‘TACA’.

##### **2.2.3.3.1. PHASE 1 STUDIES**

Provide a TAC for all patients assigned to a pre-identified dose level. When a Phase 1 dose level will be added or modified per protocol defined criteria, the investigator should submit a treatment assignment update to the Protocol and Information Office (PIO) via e-mail at [pio@ctep.nci.nih.gov](mailto:pio@ctep.nci.nih.gov). See Section 2.1.2.3, “Treatment Assignment (arm/dose level),” for further instructions.

#### **2.2.3.4. Treating Institution Code**

##### **2.2.3.4.1. NON-NCTN GROUP STUDIES**

Enter the unique CTEP institution code where the patient was treated during the current course. If unsure of an institution’s CTEP institution code, please refer to the institution codes listed on the DCTD/CTEP Website. If an institution code cannot be located, please contact the NCI CTEP Help Desk.

##### **2.2.3.4.2. NCTN GROUP STUDIES**

Enter the unique CTEP institution code where the patient was treated during the current course of treatment. This includes NCORPs and NCORP components.

Please refer to the rosters available through the Clinical Trials Monitoring Branch Audit Database for institution and NCORP code information. Institution codes not found in an NCTN Group’s roster can be found on the DCTD/CTEP Website. If an institution code cannot be located, please contact the NCI CTEP Help Desk.

#### **2.2.3.5. Patient Height**

Indicate the height of the patient in centimeters. Use protocol criteria to determine if actual or ideal (post-amputation) should be used for dose calculations.

#### **2.2.3.6. Patient Weight**

Indicate the weight of the patient in kilograms. Based on protocol criteria (actual or ideal) indicate the patient’s weight used for dose calculations.

### **2.2.3.7. Patient Body Surface Area**

Calculated by CTEP based on the patient's height (cm) and weight (kg).

### **2.2.3.8. Dose of the Investigational Agent Received by Patient**

#### **2.2.3.8.1. INVESTIGATIONAL AGENT ADMINISTERED**

Use the NSC number of the CTEP-sponsored IND agent. For confirmation of the NSC number, please check the DCTD/CTEP Website for a list of agent NSC numbers.

Note: For multi-investigational agent protocols (protocols that utilize more than one CTEP-sponsored IND agent), each agent should be listed as a separate entry.

#### **2.2.3.8.1.1. Dose Modification (Change)**

Has this patient received either a dose escalation or a de-escalation of this investigational agent during this course of therapy? Use the following codes:

- 1 = Yes, planned (i.e., the dose was changed according to protocol guidelines)
- 2 = Yes, unplanned (i.e., the dose change was not a part of protocol guidelines)
- 3 = No
- 9 = Unknown

Note: If the patient has received a previous escalation or de-escalation of this investigational agent and there has been no further change to the dose during this course, answer no.

#### **2.2.3.8.1.2. Total Dose of the Investigational Agent Administered per Course**

Indicate the actual total dose (using numbers) the patient received during this course. Do not express the dose based on the patient's size (e.g., if the patient has a BSA of 2m<sup>2</sup>, answer 500 mg, not 250mg/m<sup>2</sup>). For a multi-investigational agent protocol, please make a separate entry for each agent (using the NSC number). This information may contain up to 20 digits of which three may be used for decimal places.

#### **2.2.3.8.1.3. Dose Units**

Indicate the dosing units (e.g., mg) administered to the patient. Please see Section 6 for a list of dose unit values.

### **2.2.3.9. Patient-Specific Adverse Event Reporting Requirements**

An Adverse Event is any unfavorable or unintended sign (including an abnormal laboratory finding), symptom or disease temporally associated with the use of a medical treatment or procedure regardless of whether it is considered related to the investigational agent(s)/intervention.

Routine adverse event reporting is mandatory for all studies assigned to CDUS-Complete reporting (e.g., Phase 1 and 2 trials that utilize a CTEP-sponsored investigational agent).

Note: Routine adverse event reporting via CDUS is not a substitute for the submission of an Expedited Adverse Event Expedited Report (AdEERS). All appropriate adverse events should

also be reported via NCI's Adverse Event Expedited Reporting System (AdEERS). To assist in determining the appropriateness of reporting an adverse event, see CTEP, NCI Guidelines: Adverse Event Reporting Requirements Attachment A, available at [http://ctep.cancerinfo.nih.gov/reporting/newadverse\\_2006.pdf..](http://ctep.cancerinfo.nih.gov/reporting/newadverse_2006.pdf..)

*Frequency.* Routine adverse events should be reported quarterly. All adverse events must be reported by the course (cycle) in which they occurred.

#### **2.2.3.9.1. PATIENTS EXPERIENCING AN ADVERSE EVENT DURING THE CURRENT COURSE OF THERAPY**

Use the following codes to indicate that the patient experienced an adverse event on the current course of therapy:

1 = Yes

2 = No

3 = Too early to evaluate

To accommodate all reporting situations, the definition of 'No' is used to indicate that the patient did not experience any adverse events that are required to be reported via CDUS. For example, if during a course of treatment, a patient only experienced a Grade 1 adverse event with an attribution of 'Unlikely,' then the AE\_ Experienced flag may be reported as 'No.' The site is not required to report the event.

However, although not required by CTEP, the site does have the option to choose to report these events. If a site chooses to report these cases to CTEP, then the AE\_ Experienced flag should be reported as 'Yes.'

#### **2.2.3.9.2. PATIENTS EXPERIENCING AN ADVERSE EVENT**

Indicate the following information for patients who experience an adverse event.

##### **2.2.3.9.2.1. Adverse Event Type**

Using the NCI Common Terminology Criteria for Adverse Events (CTCAE v3.0 or CTCAE v4.0) select the appropriate term (see the DCTD/CTEP Website for a list of CTCAE terms) for the adverse event the patient experienced during this treatment course. More than one adverse event may be entered.

Note: CTCAE v3.0 or CTCAE v4.0 will be used to identify and submit the adverse event(s) depending on the assignment made to the protocol by CTEP. Only values available from the CTCAE v3.0 will be accepted for protocols assigned to CTCAE v3.0 and only values available from the CTCAE v4.0 will be accepted for protocols assigned to CTCAE v4.0.

##### **2.2.3.9.2.2. Grade**

Grade represents the severity of the adverse event.

Using the NCI Common Terminology Criteria for Adverse Events (CTCAE v3.0 or CTCAE v4.0) provide the highest grade for each adverse event experienced. Only the highest-grade of each adverse event type should be reported during a given course. For example, if a patient experiences a grade 1, grade 2, and grade 3 adverse event of Adverse Event Type 'X' during the

same course, you would report just the grade 3 adverse event. If this same patient experiences a grade 4 adverse event of Adverse Event Type 'X' during a later course of treatment, you would submit both the grade 3 and the grade 4 as they occurred in different courses.

General definitions of the grading scale include:

- Mild Adverse Event
- Moderate Adverse Event
- Severe Adverse Event
- Life-threatening or disabling Adverse Event
- Fatal Adverse Event

### **2.2.3.9.2.3. Adverse Event Other, Specify**

Each category of the NCI Common Terminology Criteria for Adverse Events (CTCAE v3.0 and CTCAE v4.0) provides an 'Other, Specify' option for adverse events that are not listed in the available adverse event criteria (e.g., Gastrointestinal: Other, Specify; Blood/Bone Marrow: Other, Specify; etc.). You must provide the specific adverse event in the AE\_Other\_Specify field when 'Other, Specify' is selected from the AE\_Type\_Code field. All categories of the CTCAE allow for such specificity when the appropriate term is not included in the CTCAE.

Note: For the same Protocol\_ID, Patient\_ID, Course\_ID, AE\_Type\_Code, and AE\_Grade\_Code, if more than one adverse event was previously being designated using AE\_Other\_Specify, the events needed to be designated together using the free text field. Submitting the events separately would have generated a Duplicate Primary Key (R0017) error

For example:

#### **Option 1**

"ADVERSE\_EVENTS","9999","101-88",3,90004068,2,"infection, right oral cavity",1,"9"

"ADVERSE\_EVENTS","9999","101-88",3,90004068,2,"right face/neck swelling",1,"9"

The AE\_Other\_Specify data, presented in Option 1 above, should be submitted as one record, as shown in Option 2, below.

#### **Option 2**

ADVERSE\_EVENTS","9999","101-88",3,90004068,2,"infection, right oral cavity; right face/neck swelling",1,"9"

Note: To adjust for this limitation (effective October 1, 2003), AE\_Other\_Specify became part of the Primary Key. This provides the option to either combining terms for the submission (Option 2) or submitting the items in separate records (Option 1) without generating a duplicate Primary Key error.

Note: "Other, Specify" should only be used if the appropriate term is NOT included in the CTCAE. All resources should be used in an attempt to avoid the selection of 'Other, Specify'. Use the CTC Index, Safety Profiler, or Other, Specify Guide to verify that there is no appropriate term available before selecting 'Other, Specify'.



#### 2.2.3.9.2.4. Attribution

For routine, CDUS adverse event reporting purposes, “Attribution” defines the relationship between the adverse event and the investigational agent(s)/intervention.

**Note:** When a commercial agent(s) is(are) used on the same treatment arm as an investigational agent/intervention (also, investigational drug, biologic, cellular product or other investigational experimental therapy under an IND), the entire combination (arm) is then considered an investigational intervention for reporting purposes in CDUS.

Assess the relationship between the adverse event and the investigational agent(s)/intervention. Then, from the list below, assign the appropriate category code of attribution. An attribution must be assigned to all reported adverse events.

**TABLE E: Attribution of Adverse Events for CDUS Reporting**

Code	Descriptor	Definition
1	Unrelated	The Adverse Event is clearly not related to the investigational agent(s)/intervention.
2	Unlikely	The Adverse Event is doubtfully related to the investigational agent(s)/intervention.
3	Possible	The Adverse Event may be related to the investigational agent(s)/intervention.
4	Probable	The Adverse Event is likely related to the investigational agent(s)/intervention.
5	Definite	The Adverse Event is clearly related to the investigational agent(s)/intervention.

#### 2.2.3.9.2.5. Expedited Adverse Event Report (AER Filed)

Using the codes below, indicate whether an Expedited Adverse Event (AdEERS) report was submitted to CTEP (via the AdEERS application) for this specific adverse event.

1 = Yes  
2 = No  
9 = Unknown

#### 2.2.3.9.2.6. CDUS Grade/Attribution Requirements

All Grade 1 and 2 adverse events with an attribution of possible, probable, definite must be reported to CDUS. All Grade 3, 4, and 5 adverse events, regardless of attribution, must be reported (see Table F).

**TABLE F: Routine Adverse Event Reporting Guidelines for CDUS**

Attribution	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5
Unrelated			CDUS	CDUS	CDUS
Unlikely			CDUS	CDUS	CDUS
Possible	CDUS	CDUS	CDUS	CDUS	CDUS
Probable	CDUS	CDUS	CDUS	CDUS	CDUS
Definite	CDUS	CDUS	CDUS	CDUS	CDUS

Adverse event reporting is mandatory for all studies assigned to CDUS-Complete reporting (e.g., Phase 1 and 2 trials that have utilized a CTEP-sponsored IND agent). A complete description of the adverse reporting requirements for investigational agents is outlined in the *NCI Guidelines: Adverse Event Reporting Requirements for NCI Investigational Agents*, available from the DCTD/CTEP Website.

### **2.2.3.10. Baseline Adverse Events**

(See Section 2.2.2.12 for reporting Baseline Abnormalities.) An adverse event should NOT be reported if a patient is entered on a study with a preexisting condition (e.g., elevated laboratory value) as preexisting conditions are not considered adverse events. If the adverse event increases in severity, the investigator should re-assess the event to determine if an adverse event should be reported (determine attribution). If the adverse event resolves and then returns, the investigator should re-assess the event to determine if the event should be reported. No modification in grading should be made to account for abnormalities noted at baseline. For example:

A patient enters a trial with an AST equivalent to Grade 1. If the AST remains unchanged at the end of cycle one, the adverse event should NOT be reported. If the AST increases to a Grade 3 level, the adverse event should be re-assessed and reported if it fulfills the other adverse event reporting criteria. The AST would be reported at Grade 3 with no adjustment for the baseline AST equivalent to Grade 1.

A patient enters a study with diarrhea equivalent to Grade 2. The diarrhea resolves during the first cycle of therapy. If, during a subsequent cycle the patient experienced Grade 2 diarrhea, the adverse event should be re-assessed and reported if it fulfills adverse event reporting guidelines.

### **2.2.3.11. Persistent Adverse Events**

An adverse event that persists from one course (cycle) to another should only be reported once unless the grade becomes more severe in a subsequent course. An adverse event, which resolves and then recurs during a different course (cycle), must be reported each course (cycle) it recurs.

A patient experiences Grade 3 thrombocytopenia during cycle one. During cycle two the adverse event persists but the severity remains unchanged. During cycle three the adverse event persists but increases in severity to Grade 4. The following should be reported:

Cycle One – Grade 3 Thrombocytopenia  
 Cycle Two – No Report  
 Cycle Three – Grade 4 Thrombocytopenia

### **2.2.3.12. Late (Follow-Up) Adverse Event**

Provide the following information when an adverse event is observed after a patient has completed treatment regardless of whether the event has been identified as part of a scheduled or an unscheduled follow-up.

Note: Because these adverse events are not associated with a particular treatment course, they cannot be collected through the ADVERSE\_EVENTS table, which is linked to the TREATMENT\_COURSES table. Under these circumstances, the adverse event is reported using the LATE\_ADVERSE\_EVENTS table (see Section 4.3.12, “LATE\_ADVERSE\_EVENTS Table,” for table information).

#### **2.2.3.12.1. LATE (FOLLOW-UP) ADVERSE EVENT TYPE, GRADE, AND OTHER, SPECIFY**

Report the Late (Follow-Up) Adverse Event Type and Grade by using the NCI Common

Terminology Criteria for Adverse Events (CTCAE v3.0 or CTCAE v4.0). Provide the specific adverse event in the AE\_Other\_Specify field when 'Other, Specify' is selected from the AE\_Type\_Code field (see Section 2.2.3.9.2.3 for additional coding details and two options for submitting AE\_Other\_Specify).

Note: Either CTCAE v3.0 or CTCAE v4.0 will be used to identify and submit the adverse event(s) depending on the assignment made to the protocol by CTEP. Only values available from the CTCAE v3.0 will be accepted for protocols assigned to CTCAE v3.0 and only values available from the CTCAE v4.0 will be accepted for protocols assigned to CTCAE v4.0.

Note: As with adverse events during the treatment phase, 'Other, Specify' should be used only if a valid adverse event term does not exist.

#### **2.2.3.12.2. ATTRIBUTION**

Provide the determination of whether the Late (Follow-Up) adverse event is related to the investigational agent(s)/intervention. (See Section 2.2.3.9.2.4, "Attribution," for details).

#### **2.2.3.12.3. LATE (FOLLOW-UP) ADVERSE EVENT START DATE**

The Adverse Event Start Date is the date when a laboratory value, imaging, or other diagnostic measurement identifies the onset of an adverse event.

#### **2.2.3.13. AdEERS/CDUS Reconciliation Process 2.2.3.13.1.**

##### **2.2.3.13.1. PURPOSE**

In an effort to ensure that the events reported to the Expedited Adverse Event Reporting System (AdEERS) and those reported to the Routine Reporting System (CDUS) were a match, CTEP implemented the AdEERS/CDUS Reconciliation Process on April 1, 2006. All matching of event data is based both on the investigator's submitted adverse events and on the reporting guidelines for both AdEERS and for CDUS.

##### **2.2.3.13.2. REASONS FOR A DISCREPANCY**

There are many items that might cause a discrepancy:

- Different Patient IDs in the two systems
- Different events/grades or attributions in the two systems
- The complete lack of a reported event in one of the systems

##### **2.2.3.13.3. RESOLUTION**

CTEP defines the criteria for high priority discrepancy events. Discrepancies in these defined events will create a Rejection error and MUST be resolved before the end of the quarter.

All other discrepancies are considered lower priority and result in a Caution error. CTEP expects that these will be reviewed by the submitting site and corrected.

#### **2.2.4. RESPONSE OF PATIENT'S MALIGNANCY INCLUDE FREQUENCY**

Requested for trials assigned to Complete CDUS reporting, e.g., Phase 1 and 2 trials with CTEP-

sponsored IND agents. It is not required for other studies.

#### **2.2.4.1. Evaluable for Response**

Based on the protocol criteria, indicate whether the patient is evaluable for response. Use the following codes:

- 1 = Yes
- 2 = No
- 3 = Too Early
- 7 = Not applicable (e.g., response is not a protocol end point).

##### **2.2.4.1.1. RESPONSE (CATEGORY)**

If the patient is evaluable for a response, indicate the patient's response. All responses must be confirmed by protocol criteria before being reported. Use the following codes to identify each Response Category:

- 01 = Complete response
- 02 = Partial response
- 03 = Less than partial response (including categories of minor response and mixed response)
- 04 = Stable

Note: Stable disease is reported using the date the test or procedure was performed indicating that the patient had stable disease.

- 05 = Progression

Note: Applicable to disease progression after a response (i.e., PR or CR), after stable disease, or as initial response to protocol therapy.

- 06 = Not assessed adequately
- 98 = Other

Notes: Progression should be reported even if it is experienced after a response (e.g., Less than Partial Response, Partial response, Complete Response).

Protocols that do not use the traditional response criteria provided in the list of values (e.g., where the response is based on serum level changes of a particular factor) should submit the value of 'Other' to indicate a patient's response. If 'Other' is submitted, it is mandatory that information about the patient's response be submitted through the General Response Comments (see Section 2.1.5.1.2 and Section 4.3.14, "TRIAL\_COMMENTS Table," for further information).

It is expected that the protocol guidelines will be followed in providing response data. Each time that the protocol defines that a response should be evaluated, then a response should be sent to CTEP via the CDUS submission. There has been some confusion over the fact that this table is called 'Best Response' possibly indicating that only one response per patient is required. CTEP evaluates all the responses that you provide for each patient. The submission of the response data at defined points in the treatment provides the complete data set that CTEP requires for analysis.

##### **2.2.4.1.2. RESPONSE (OBSERVED DATE)**

The Observed Date is mandatory for all responses submitted via CDUS-Complete, including Stable Disease or Progression. The Observed Date for each level of response is the initial date


that the patient's disease was shown to have responded to therapy sufficient to meet the protocol-specified criteria for that level of response. Note that the response should be confirmed as per protocol guidelines prior to reporting via CDUS [see Section 2.2.4.1.1, "Response (Category)"].

The Observed Date format is YYYYMMDD.

### 3. CDUS DATA MODEL

This model is provided to assist in understanding the relationships among the CDUS data elements. The model can also be used as a reference for enhancing existing systems or in the development of new systems if desired.

**FIGURE 1: The CDUS Data Model diagram**



## **4. CDUS SMART LOADER FILE FORMAT INSTRUCTIONS**

### **4.1. INTRODUCTION**

The CDUS Smart Loader is designed to populate the database from a single text file that is electronically submitted to CTEP. The general format of a Smart Loader file is as follows:

CTEP recommends use of the following file naming convention: NCI Protocol Number\_date (format: YYYYMMDD). For example, T95-0036\_19980430.

The total number of characters in the file name including the file path must be  $\leq 260$ .

Each text file will contain information for one Protocol only.

Each record associated with a Table in the database will occupy a single line. Each record will be preceded by the Table Name it belongs to.

Each field in the record will be comma (,) delimited.

All the Varchar2 data types will be enclosed within double quotes (" ").

All dates must be in YYYYMMDD format with the exception of patient's date of birth which must be submitted in YYYYMM format. Partial dates should not be submitted. If a field is left null in a record, a comma should still be submitted for that field.

### **4.2. RELATION BETWEEN ENTITIES**

One Protocol can have one or many Collections associated with it (one collection per quarter for every Protocol).

One Protocol can have none, one or many Correlative Studies associated with it. One Protocol can have none, one or many Publications associated with it.

Every Publication can have one or many Authors.

One Protocol can have none, one or many Patients associated with it.

One Protocol can have one or many Summaries (Adverse Event/Response) associated with it. Every Patient can have one or more races.

Every Patient can have undergone multiple Prior Therapies.

Every Patient can exhibit multiple Responses, one per each Response Category entered. Every Patient can undergo none, one or many Treatment Courses.

Each Treatment course can be comprised of one or many Course Agents.

There can be one or many Adverse Events for every Treatment Course for a Patient.

There can be one or many Adverse Events specified for every 'AE\_Other\_Specify.' There can be multiple Phase 1-Endpoints for every Subgroup.

There can be multiple DLTs for every Subgroup.

### **4.3. FILE FORMAT**

Data should be submitted for each of the following tables:

COLLECTIONS  
 CORRELATIVE\_STUDIES  
 PUBLICATIONS  
 AUTHORS  
 PATIENTS  
 PATIENT\_RACES  
 PRIOR\_THERAPIES  
 TREATMENT\_COURSES  
 COURSE\_AGENTS  
 BASELINE\_ABNORMALITIES  
 ADVERSE\_EVENTS  
 LATE\_ADVERSE\_EVENTS  
 BEST\_RESPONSES  
 TRIAL\_COMMENTS  
 PHASE1\_END\_POINTS  
 PHASE1\_END\_POINT\_DLTS

A list of the data items contained in each table is presented in the following sections. The format for the data items contained in each table is also presented. For an example of how each record should appear when containing actual data, please see Section 5, "CDUS SMART LOADER SAMPLE FILES."

Note: Italicized items represent Primary Keys for the respective tables.

#### 4.3.1. COLLECTIONS TABLE

Each record associated with the COLLECTIONS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Subm_Date</i>	<i>Date (YYYYMMDD)</i>
<i>CutOff_Date</i>	<i>Date (YYYYMMDD)</i>
Current_Trial_Status_Code	Varchar2(2)
Current_Trial_Status_Date	Date (YYYYMMDD)
Completer_Name*	Varchar2(87)

\*Completer\_Name should be submitted in the format Last name^First name^Middle initial, e.g., Public^John^Q. This information will be converted internally by CTEP during the Smart Loader data load into the three separate fields depicted on the data model.

Completer_Phone	Varchar2(20)
Completer_FAX	Varchar2(20)
Completer_Email	Varchar2(50)
Change_Code	Varchar2(1)

A sample record associated with the COLLECTIONS Table will appear as follows:

```
"COLLECTIONS","<Protocol_ID>",<Subm_Date>,<CutOff_Date>",<Current_Trial_Status_Code>",<Current_Trial_Status_Date>",<Completer_Name>",<Completer_Phone>",<Completer_FAX>",<Completer_Email>",<Change_Code>"
```

#### 4.3.2. CORRELATIVE\_STUDIES TABLE



Each record associated with the CORRELATIVE\_STUDIES Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Correlative_Study_ID</i>	<i>Varchar2(10)</i>
<i>Patients_Collected</i>	<i>Number(6)</i>
<i>Patients_Analyzed</i>	<i>Number(6)</i>
<i>Samples_Collected</i>	<i>Number(6)</i>
<i>Samples_Analyzed</i>	<i>Number(6)</i>
<i>Findings</i>	<i>Varchar2(2000)</i>

A sample record associated with the CORRELATIVE\_STUDIES Table will appear as follows:  
 "CORRELATIVE\_STUDIES", "<Protocol\_ID>", "<Correlative\_Study\_ID>", "<Patients\_Collected>",  
 "<Patients\_Analyzed>", "<Samples\_Collected>", "<Samples\_Analyzed>", "<Findings>"

#### 4.3.3. PUBLICATIONS TABLE

Each record associated with the PUBLICATIONS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Publication_ID</i>	<i>Number(6)</i>
<i>Medline_UID</i>	<i>Varchar2(8)</i>
<i>Title</i>	<i>Varchar2(2000)</i>
<i>Journal</i>	<i>Varchar2(200)</i>
<i>Volume</i>	<i>Varchar2(50)</i>
<i>Year</i>	<i>Number(4)</i>
<i>Publisher</i>	<i>Varchar2(50)</i>
<i>Pages</i>	<i>Varchar2(50)</i>

A sample record associated with the PUBLICATIONS Table will appear as follows:  
 "PUBLICATIONS", "<Protocol\_ID>", "<Publication\_ID>", "<Medline\_UID>", "<Title>", "<Journal>",  
 "<Volume>", "<Year>", "<Publisher>", "<Pages>"

#### 4.3.4. AUTHORS TABLE

Each record associated with the AUTHORS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Publication_ID</i>	<i>Number(6)</i>
<i>Author_Order</i>	<i>Number(3)</i>
<i>Author_Name*</i>	<i>Varchar2(87)</i>

\*Author\_Name should be submitted in the format Last name^First name^Middle initial, e.g., Public^John^Q. This information will be converted internally by CTEP during the Smart Loader data load into the three separate fields depicted on the data model.

A sample record associated with the AUTHORS Table will appear as follows:  
 "AUTHORS", "<Protocol\_ID>", "<Publication\_ID>", "<Author\_Order>", "<Author\_Name>"

#### 4.3.5. PATIENTS TABLE

Each record associated with the PATIENTS Table should consist of the following information:

<i>Protocol_ID</i>	Varchar2(35)
<i>Patient_ID</i>	Varchar2(20)
<i>Zip_Code</i>	Varchar2(10)
<i>Country_Code</i>	Varchar2(2)
<i>Birth_Date</i>	Date (YYYYMM)
<i>Sex_Code</i>	Varchar2(1)
<i>Ethnicity_Flag</i>	Varchar2(1)
<i>Method_Of_Payment</i>	Varchar2(2)
<i>Date_Of_Entry Date</i>	(YYYYMMDD)
<i>Reg_Group_ID</i>	Varchar2(25)
<i>Reg_Inst_ID</i>	Varchar2(25)
<i>TX_On_Study</i>	Varchar2(1)
<i>Off_TX_Reason</i>	Varchar2(2)
<i>Last_TX_Date</i>	Date (YYYYMMDD)
<i>Off_Study_Reason</i>	Varchar2(2)
<i>Off_Study_Date</i>	Date (YYYYMMDD)
<i>Subgroup_Code</i>	Varchar2(10)
<i>Ineligibility_Status</i>	Varchar2(1)
<i>Baseline_PS_Code</i>	Varchar2(1)
<i>Prior_Chemo_Regs</i>	Number(2)
<i>Disease_Code</i>	Number(10)
<i>Resp_Eval_Status</i>	Varchar2(1)
<i>Baseline_Abnormalities_Flag</i>	Varchar2(1)

A sample record associated with the PATIENTS Table will appear as follows:

"PATIENTS","<Protocol\_ID>","<Patient\_ID>","<Zip\_Code>","<Country\_Code>","<Birth\_Date>","<Sex\_Code>","<Ethnicity\_Flag>","<Method\_Of\_Payment>","<Date\_Of\_Entry>","<Reg\_Group\_ID>","<Reg\_Inst\_ID>","<TX\_On\_Study>","<Off\_TX\_Reason>","<Last\_TX\_Date>","<Off\_Study\_Reason>","<Off\_Study\_Date>","<Subgroup\_Code>","<Ineligibility\_Status>","<Baseline\_PS\_Code>","<Prior\_Chemo\_Regs>","<Disease\_Code>","<Resp\_Eval\_Status>","<Baseline\_Abnormalities\_Flag>"

#### 4.3.6. PATIENT\_RACES TABLE

Each record associated with the PATIENT\_RACES table should consist of the following information:

<i>Protocol_ID</i>	Varchar2(35)
<i>Patient_ID</i>	Varchar2(20)
<i>Race_Code</i>	Varchar2(2)

A sample record associated with the PATIENT\_RACES table will appear as follows:

"PATIENT\_RACES","<Protocol\_ID>","<Patient\_ID>","<Race\_Code>"

#### 4.3.7. PRIOR\_THERAPIES TABLE

Each record associated with the PRIOR\_THERAPIES Table should consist of the following information:

<i>Protocol_ID</i>	Varchar2(35)
--------------------	--------------

<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>Therapy_Code</i>	<i>Number(10)</i>

A sample record associated with the PRIOR\_THERAPIES Table will appear as follows:  
 "PRIOR\_THERAPIES","<Protocol\_ID>","<Patient\_ID>",<Therapy\_Code>

#### 4.3.8. TREATMENT\_COURSES TABLE

Each record associated with the TREATMENT\_COURSES Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>Course_ID</i>	<i>Number(6)</i>
<i>Course_Start_Date</i>	<i>Date (YYYYMMDD)</i>
<i>TX_Asgnmt_Code</i>	<i>Varchar2(10)</i>
<i>Treating_Inst_ID</i>	<i>Varchar2(25)</i>
<i>Height</i>	<i>Number(6,1)</i>
<i>Weight</i>	<i>Number(6,1)</i>
<i>AE_Experienced</i>	<i>Varchar2(1)</i>

A sample record associated with the TREATMENT\_COURSES Table will appear as follows:  
 "TREATMENT\_COURSES","<Protocol\_ID>","<Patient\_ID>",<Course\_ID>,<Course\_Start\_Date>,<TX\_Asgnmt\_Code>","<Treating\_Inst\_ID>",<Height>,<Weight>,"< AE\_Experienced>"

#### 4.3.9. COURSE\_AGENTS TABLE

Each record associated with the COURSE\_AGENTS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>Course_ID</i>	<i>Number(6)</i>
<i>Agent_ID</i>	<i>Varchar2(8)</i>
<i>Dose_Change</i>	<i>Varchar2(1)</i>
<i>Dose_Amount</i>	<i>Number(20,3)</i>
<i>Unit_Code</i>	<i>Varchar2(12)</i>

A sample record associated with the COURSE\_AGENTS Table will appear as follows:  
 "COURSE\_AGENTS","<Protocol\_ID>","<Patient\_ID>",<Course\_ID>,"<Agent\_ID>",<Dose\_Change>",<Dose\_Amount>",<Unit\_Code>"

#### 4.3.10. BASELINE\_ABNORMALITIES TABLE

Each record associated with the BASELINE\_ABNORMALITIES table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>AE_Type_Code</i>	<i>Number(10)</i>
<i>AE_Grade_Code</i>	<i>Number(1)</i>
<i>AE_Other_Specify</i>	<i>Varchar2(100)</i>

A sample record associated with the BASELINE\_ABNORMALITIES table will appear as follows:  
 "BASELINE\_ABNORMALITIES","<Protocol\_ID>","<Patient\_ID>",<AE\_Type\_Code>,<AE\_Grade  
 \_Code>,"<AE\_Other\_Specify>"

#### 4.3.11. ADVERSE\_EVENTS TABLE

Each record associated with the ADVERSE\_EVENTS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>Course_ID</i>	<i>Number(6)</i>
<i>AE_Type_Code</i>	<i>Number(10)</i>
<i>AE_Grade_Code</i>	<i>Number(1)</i>
<i>AE_Other_Specify</i>	<i>Varchar2(100)</i>
<i>AE_Attribution_Code</i>	<i>Number(1)</i>
<i>AER_Filed</i>	<i>Varchar2(1)</i>

A sample record associated with the ADVERSE\_EVENTS Table will appear as follows:  
 "ADVERSE\_EVENTS","<Protocol\_ID>","<Patient\_ID>",<Course\_ID>,<AE\_Type\_Code>,<AE\_G  
 rade\_Code>,"<AE\_Other\_Specify>",<AE\_Attribution\_Code>,"<AER\_Filed>"

#### 4.3.12. LATE\_ADVERSE\_EVENTS TABLE

Each record associated with the LATE\_ADVERSE\_EVENTS table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>AE_Type_Code</i>	<i>Number(10)</i>
<i>AE_Grade_Code</i>	<i>Number(1)</i>
<i>AE_Other_Specify</i>	<i>Varchar2(100)</i>
<i>AE_Attribution_Code</i>	<i>Number(1)</i>
<i>AE_Start_Date</i>	<i>Date (YYYYMMDD)</i>

A sample record associated with the LATE\_ADVERSE\_EVENTS table will appear as follows:  
 "LATE\_ADVERSE\_EVENTS","<Protocol\_ID>","<Patient\_ID>",<AE\_Type\_Code>,<AE\_Grade\_C  
 ode>,"<AE\_Other\_Specify>",<AE\_Attribution\_Code>,<AE\_Start\_Date>

#### 4.3.13. BEST\_RESPONSES TABLE

Each record associated with the BEST\_RESPONSES Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Patient_ID</i>	<i>Varchar2(20)</i>
<i>Category</i>	<i>Varchar2(2)</i>
<i>Observed_Date</i>	<i>Date (YYYYMMDD)</i>

A sample record associated with the BEST\_RESPONSES Table will appear as follows:  
 "BEST\_RESPONSES","<Protocol\_ID>","<Patient\_ID>","<Category>",<Observed\_Date>

**4.3.14. TRIAL\_COMMENTS TABLE**

Each record associated with the TRIAL\_COMMENTS Table (Summary information by subgroup and/or treatment assignment) should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Subgroup_Code</i>	<i>Varchar2(10)</i>
<i>TX_Asgnmt_Code</i>	<i>Varchar2(10)</i>
<i>Gen_AE_Comments</i>	<i>Varchar2(2000)</i>
<i>Gen_Response_Comments</i>	<i>Varchar2(2000)</i>

A sample record associated with the TRIAL\_COMMENTS table will appear as follows:

"TRIAL\_COMMENTS","<Protocol\_ID>","<Subgroup\_Code>","<TX\_Asgnmt\_Code>","<Gen\_AE\_Comments>","<Gen\_Response\_Comments>"

**4.3.15. PHASE1\_END\_POINTS TABLE**

Each record associated with the PHASE1\_END\_POINTS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Subgroup_Code</i>	<i>Varchar2(10)</i>
<i>TX_Asgnmt_Code</i>	<i>Varchar2(10)</i>

A sample record associated with the PHASE1\_END\_POINTS Table will appear as follows:

"PHASE1\_END\_POINTS","<Protocol\_ID>","<Subgroup\_Code>","<TX\_Asgnmt\_Code>"

**4.3.16. PHASE1\_END\_POINT\_DLTS TABLE**

Information about Phase 1 End Point Dose Limiting Toxicity is presented in this table. Each record associated with the PHASE1\_END\_POINT\_DLTS Table should consist of the following information:

<i>Protocol_ID</i>	<i>Varchar2(35)</i>
<i>Subgroup_Code</i>	<i>Varchar2(10)</i>
<i>TX_Asgnmt_Code</i>	<i>Varchar2(10)</i>
<i>AE_Type_Code</i>	<i>Number(10)</i>
<i>AE_Other_Specify</i>	<i>Varchar2(100)</i>

A sample record associated with the PHASE1\_END\_POINT\_DLTS Table will appear as follows:

"PHASE1\_END\_POINT\_DLTS","<Protocol\_ID>","<Subgroup\_Code>","<TX\_Asgnmt\_Code>","<AE\_Type\_Code>","<AE\_Other\_Specify>"

## 5. CDUS SMART LOADER SAMPLE FILES

### 5.1. CDUS SMART LOADER SAMPLE FILE---CDUS-ABBREVIATED

"COLLECTIONS","T95-0036",20070110,20061231,"AC",19961015,"Public^John^Q","(301)111-1212","(301)111-2323","public@med.com","1" "CORRELATIVE\_STUDIES","T95-0036","950036PK",40,40,80,70,"Study Findings" "CORRELATIVE\_STUDIES","T95-0036","950036QOL",40,35,70,60,"Study Findings" "PUBLICATIONS","T95-0036",1,"","Effectiveness of Taxol plus Cisplatin","Journal of the American Medical Association","50",1997,"McGraw Hill","10-20" "PUBLICATIONS","T95-0036",2,"99061487","","","","" "AUTHORS","T95-0036",1,1,"CAREY^ROBERT^D" "AUTHORS","T95-0036",1,2,"SMITH^JAMIE^M" "PATIENTS","T95-0036","A5001","20595","","194206","1","9","1",19961015,"NSABP","MD005","","","","",12345678,"","" "PATIENTS","T95-0036","A5002","20595","","193608","2","1","2",19961018,"NSABP","MD005","","","","",12345678,"","" "PATIENTS","T95-0036","A5003","20595","","194010","1","2","3",19961018,"NSABP","MD005","","","","",12345678,"","" "PATIENT\_RACES","T95-0036","A5001","01" "PATIENT\_RACES","T95-0036","A5002","01" "PATIENT\_RACES","T95-0036","A5002","03" "PATIENT\_RACES","T95-0036","A5003","03"

**5.2. CDUS SMART LOADER SAMPLE FILE---CDUS-COMPLETE**

"COLLECTIONS","T95-0036",19970110,19961231,"AC",19961015,"Public^John^Q","(301)111-1212","(301)111-2323","public@med.com","1"

"CORRELATIVE\_STUDIES","T95-0036","950036PK",40,40,80,70,"Study Findings"

"CORRELATIVE\_STUDIES","T95-0036","950036QOL",40,35,70,60,"Study Findings"

"PUBLICATIONS","T95-0036",1,"","Effectiveness of Taxol plus Cisplatin","Journal of the American Medical Association","50",1997,"McGraw Hill","10-20"

"PUBLICATIONS","T95-0036",2,"99061487","","","","",""

"AUTHORS","T95-0036",1,1,"CAREY^ROBERT^D" "AUTHORS","T95-0036",1,2,"SMITH^JAMIE^M"

"PATIENTS","T95-0036","A5001","20595","",194206,"1","9","1",19961015,"NSABP","MD005","1","",,"", "SUBGROUP1","2","1",2,12345,"1","9"

"PATIENTS","T95-0036","A5002","20595","",193608,"2","1","2",19961018,"NSABP","MD005","2","02",19961105,"04",19980819,"SUBGROUP1","2","2",2,12345,"1","1"

"PATIENTS","T95-0036","A5003","20595","",194010,"1","2","3",19961018,"NSABP","MD005","1","",,"", "SUBGROUP2","1","1",0,23456,"2","2"

"PATIENT\_RACES","T95-0036","A5001","01"

"PATIENT\_RACES","T95-0036","A5002","01"

"PATIENT\_RACES","T95-0036","A5003","03"

"PATIENT\_RACES","T95-0036","A5003","01" "PRIOR\_THERAPIES","T95-0036","A5001",44544

"PRIOR\_THERAPIES","T95-0036","A5001",77677

"TREATMENT\_COURSES","T95-0036","A5001",1,19961015,"A1","MD005",170.5,61.3,"2"

"TREATMENT\_COURSES","T95-0036","A5001",2,19961021,"A1","MD005",170.5,61.3,"1"

"TREATMENT\_COURSES","T95-0036","A5002",1,19961018,"A1","MD005",152.4,73.6,"2"

"TREATMENT\_COURSES","T95-0036","A5003",1,19961018,"A1","MD005",180.3,95.4,"2"

"COURSE\_AGENTS","T95-0036","A5001",1,"673089","2",258,"mg"

"COURSE\_AGENTS","T95-0036","A5001",1,"119875","2",375,"mg"

"COURSE\_AGENTS","T95-0036","A5001",2,"673089","2",258,"mg"

"COURSE\_AGENTS","T95-0036","A5001",2,"119875","2",375,"mg"

"COURSE\_AGENTS","T95-0036","A5002",1,"673089","2",245,"mg"

"COURSE\_AGENTS","T95-0036","A5002",1,"119875","2",350,"mg"

"COURSE\_AGENTS","T95-0036","A5003",1,"673089","2",278,"mg"

"COURSE\_AGENTS","T95-0036","A5003",1,"119875","2",380,"mg"

"BASELINE\_ABNORMALITIES","T95-0036","A5002",455095,3,""

"ADVERSE\_EVENTS","T95-0036","A5001",2,455095,4,"",4,"1"

"LATE\_ADVERSE\_EVENTS","T95-0036","A5002",455095,4,"",,19980710

"BEST\_RESPONSES","T95-0036","A5001","02",19961120

"BEST\_RESPONSES","T95-0036","A5002","05",19960530

"BEST\_RESPONSES","T95-0036","A5003","06",19961130

"TRIAL\_COMMENTS","T95-0036","SUBGROUP1","A1","","Response seen in one of two patients"

"TRIAL\_COMMENTS","T95-0036","SUBGROUP2","A1","No Toxicity",""

"PHASE1\_END\_POINTS","T95-0036","SUBGROUP1","A1"

"PHASE1\_END\_POINT\_DLTS","T95-0036","SUBGROUP1","A1",455095,""

## 6. CDUS VALID VALUES

The following table describes the valid values used for the CDUS data elements.

**TABLE G: Valid Values**

Table Name	Column Name	List of Values	Description
COLLECTIONS	Current_Trial_Status_Code	AP	Approved
		AC	Active
		TC	Temporarily Closed to Accrual
		TB	Temporarily Closed to Accrual and Treatment
		CL	Closed to Accrual, Patients still on Treatment
		CB	Closed to Accrual, All Patients have Completed Treatment
		CP	Complete
		AD	Administratively Complete
	Change_Code	1	Yes
		2	No
PATIENTS	Country_Code	See DCTD/CTEP Website	
	Sex_Code	1	Male
		2	Female
		9	Unknown
	Ethnicity_Code	1	Hispanic or Latino
		2	Not Hispanic or Latino
		8	Not Reported
		9	Unknown
	Method of Payment	1	Private Insurance
		2	Medicare
		3	Medicare and Private Insurance
		4	Medicaid
		5	Medicaid and Medicare
		6	Military or Veterans Sponsored NOS
		6A	Military Sponsored (including CHAMPUS & TRICARE)
		6B	Veterans Sponsored
		7	Self-Pay (No Insurance)
		8	No means of payment (no insurance)
		98	Other
		99	Unknown
	Reg_Group_ID	See DCTD/CTEP Website	
	Reg_Inst_ID	See DCTD/CTEP Website	
	TX_On_Study	1	Yes
		2	No
	Off_TX_Reason	01	Treatment completed per protocol criteria
		02	Disease progression, relapse during active treatment
		03	Adverse Event/Side Effects/Complications
		04	Death on Study
		05	Patient withdrawal/refusal after beginning protocol therapy
		06	Patient withdrawal/refusal before beginning protocol therapy
		07	Alternative therapy
		08	Patient off-treatment for other complicating disease
		10	Lost to follow-up
		11	Cytogenetic Resistance
		12	Disease Progression before Active Treatment
		13	No treatment, per protocol criteria
		98	Other
	Off_Study_Reason	01	Protocol-defined follow-up completed
		02	Patient lost to follow-up
		03	Patient refused follow-up
		04	Death
		05	Adverse Event/Side Effects/Complications
		98	Other
	Ineligibility_Status	1	Yes
		2	No
	Baseline_PS_Code	0	Normal Activity, asymptomatic
		1	Symptomatic, fully ambulatory
		2	Symptomatic; in bed < 50% of time
		3	Symptomatic; in bed > 50% of time



Table Name	Column Name	List of Values	Description
		4	100% bedridden
	Disease_Codes	See DCTD/CTEP Website	
	Resp_Eval_Status	1	Yes
		2	No
		3	Too Early
		7	Not Applicable
	Baseline_Abnormalities_Flag	1	Yes
		2	No
		9	Unknown
PATIENT_RACES	Race_Code	01	White
		03	Black or African American
		04	Native Hawaiian or other Pacific Islander
		05	Asian
		06	American Indian or Alaska native
		98	Not Reported
		99	Unknown
PRIOR_THERAPIES	Therapy_Code	See DCTD/CTEP Website	
TREATMENT_COURSES	Treating_Inst_ID	See DCTD/CTEP Website	
	AE_Experienced	1	Yes
		2	No
		3	Too Early to evaluate
COURSE_AGENTS	Agent_ID	See DCTD/CTEP Website	
	Dose_Change	1	Yes, planned
		2	Yes, unplanned
		3	No
		9	Unknown
	Unit_Code	billion pfu	Billion pfu
		BVP	Billion Viral Particles
		cells	Cells
		cm	Centimeter
		Ci	Curie
		dL	Deciliter
		dm	Decimeter
		g	Gram
		Eq	Gram-equivalent weight
		mol	Gram-molecular weight (mole)
		gravity	Gravity (in centrifugation)
		Hz	Hertz
		IU	International Unit
		Jcm2	Joules per centimeter square
		keV	Kilo-electron volt
		kg	Kilogram
		kHz	Kilohertz
		kPa	Kilopascal
		L	Liter
		MHz	Megahertz
		Mrad	Megarad
		m	Meter
		mCi	Microcurie
		mcg	Microgram
		mcL	Microliter
		mcm	Micrometer
		mcmol	Micromole
		mCi	Millicurie
		mEq	Milliequivalent
		mg	Milligram
		million IU	Million International Units
		million pfu	Million pfu
		MMM	Milligrams per milliliter per minute
		mL	Milliliter
		mm	Millimeter
		mmol	Millimole
		MeV	Million electron volts
		MU	Million Unit
		mOsmol	Milliosmole

Table Name	Column Name	List of Values	Description
		milliunit	Milliunit
		mV	Millivolt
		MVP	Million Viral Particles
		nCi	Nanocurie
		ng	Nanogram
		nm	Nanometer
		nm light	Nanometers of Light
		Osmol	Osmole
		Pa	Pascal
		percent	Percent
		pfu	Plague Forming Unit
		psi	Pounds per square inch
		TCID	Tissue Culture Infectious Dose
		TCID50	Tissue Culture Infectious Dose 50
		VP	Viral particles
		N/A	Not Applicable
BASELINE_ABNORMALITIES	AE_Type_Code	See DCTD/CTEP Website	
	AE_Grade_Code	1, 2, 3, 4, 5	(See the DCTD/CTEP Website and CTCAE for definition and grade)
ADVERSE_EVENTS	AE_Type_Code	See DCTD/CTEP Website	
	AE_Grade_Code	1, 2, 3, 4, 5	(See the DCTD/CTEP Website and CTCAE for definition and grade)
	AE_Attribution_Code	1	Unrelated
		2	Unlikely
		3	Possible
		4	Probable
		5	Definite
	AER_Filed	1	Yes
		2	No
		9	Unknown
LATE_ADVERSE_EVENTS	AE_Type_Code	See DCTD/CTEP Website	
	AE_Grade_Code	1, 2, 3, 4, 5	(See the DCTD/CTEP Website and CTCAE for definition and grade)
	AE_Attribution_Code	1	Unrelated
		2	Unlikely
		3	Possible
		4	Probable
BEST_RESPONSES	Category	01	Complete Response
		02	Partial Response
		03	Less than partial Response
		04	Stable
		05	Progression
		06	Not assessed adequately
		98	Other
PHASE1_END_POINT_DLTS	AE_Type_Code	See DCTD/CTEP Website	

## 7. CDUS SMART LOADER APPROVAL, DISAPPROVAL, AND CORRECTION PROCESS

### 7.1. OVERVIEW

The CTEP Smart Loader has been developed to evaluate all data submitted to the Clinical Data Update System (CDUS) for both accuracy and completeness. The review process and acceptance or rejection of the data will depend both on the type of error and also whether a data element is considered mandatory or requested for the protocol for which data are being submitted. A listing of the business rules, including mandatory and requested data information, can be found in Section 9, "CDUS Business Rules."

### 7.2. DEFINITIONS FOR MANDATORY, REQUESTED, AND OPTIONAL

The data elements have been grouped into the following categories.

#### 7.2.1. MANDATORY DATA ELEMENTS

Mandatory data elements are those defined by CTEP as the minimum information required for processing the data submission and to track patient enrollment on a study. Investigators must submit all mandatory data elements.

### **7.2.2. REQUESTED DATA ELEMENTS**

Requested data elements are those defined by CTEP as the minimal information necessary to fulfill the regulatory, scientific and administrative needs of the NCI. Investigators must provide all known requested data elements.

### **7.2.3. OPTIONAL DATA ELEMENTS**

Submission of optional data is at the investigator's discretion. In general, the optional fields are free text. These fields (e.g., e-mail address, correlative study findings, general data summaries by subgroup, and/or treatment assignment) should be used by investigators to provide additional data that may not be readily apparent from other information submitted.

## **7.3. DEFINITIONS FOR INCOMPLETE, INCORRECT, INAPPROPRIATE, AND INCONSISTENT**

As described previously, the CDUS Smart Loader has been developed to review each file before it is loaded into the CDUS to help CTEP identify problems or potential problems with data submissions. The anticipated problems have been grouped into the following four categories: incorrect, incomplete, inappropriate, and inconsistent.

### **7.3.1. INCOMPLETE DATA**

Data files that do not contain all mandatory and requested data elements will be considered incomplete.

### **7.3.2. INCORRECT DATA**

Data that are submitted in the wrong format or with invalid codes will be considered incorrect. Please see Section 4 for specific file format requirements. To determine valid values/codes, please refer to Section 6.

### **7.3.3. INAPPROPRIATE DATA**

Data that do not meet electronically preset criteria will be considered inappropriate. Examples of inappropriate submissions include values that fall outside of an expected range (e.g., patient weight > 136kg) or an incongruous date sequence (e.g., first day of treatment must be  $\geq$  protocol activation date). The Smart Loader will check the database for elements that have been approved in an earlier submission (e.g., Submission 1: patient weighed 150kg - data subsequently verified and approved. Submission 2: patient weighs 150kg - data accepted after review of the existing approved data in the Active Database) and will not generate an error in this case.

### **7.3.4. INCONSISTENT DATA**

Data elements that are not expected to change from one submission to the next (e.g., patient's sex) will be considered inconsistent.

## **7.4. CUMULATIVE DATA**

Investigators are required to send cumulative data each quarter. Cumulative data is defined as follows: all data submitted from the last successfully processed quarter must be submitted this quarter. Submissions may contain new data as well as updates to previously submitted data. The minimal submission requirement is data identical to that sent in the latest successful submission. The CDUS Smart Loader confirms the cumulative data, identifies updates within the file, and inserts the new or revised data within the record. This process is performed for every table where data are loaded. If the data are not cumulative, the file is rejected, which terminates the data load process and produces an error report.

The value of the submitted Change Code [see Section 2.1.1.8] may affect whether the cumulative data are confirmed. Submitting a Change Code of '1' (Yes, the data has changed since the last report) results in an automatic confirmation of cumulative data. Even when submitting a Change Code of '2' (No, the data has not changed since the last report) AND no data for any of the other tables (except the Collections table) are submitted:

The CDUS Business Rules will fire for any data that is included in this record.

With the implementation of the AdEERS/CDUS Reconciliation Module in April 2006, all AdEERS adverse events will be checked against all CDUS adverse events that are in the CDUS submitted data file for discrepancies.

Note: To ensure data integrity, all identified cumulative errors must be reviewed by the submitter. Written validation from the site is required before CDUS can proceed. Please send your reviewed comments to the NCI CTEP Help Desk and identify your review results:

I have reviewed this identified removed data and intended to do so. Please remove the identified records from the CTEP database.

I have reviewed this identified removed data and did not intend to do so. I am re-submitting a new data submission with the removed records included.

I have reviewed this identified removed data. I am re-submitting a new data submission with the following records included (please identify these records). You may remove the following records (please identify these records) as my intention was to not include them.

NOTE: Further explanation will be required if the following is identified as removed:

- A large number of adverse events with either a grade 3 or a grade 4 and positive attribution
- Removal of patient(s)
- Removal of multiple treatment course records
- Trends in identified removed data that might indicate an export issue or a web file creation issue
- Any record(s) that CTEP feels needs further explanation after review of the identified removed data

**Table H: Data Submission Problem Description and Required Response<sup>10</sup>**

Data Type	Problem Type			
	Incomplete	Incorrect	Inappropriate	Inconsistent

<b>Mandatory</b>	<ul style="list-style-type: none"> <li>All data rejected</li> <li>List of missing data elements generated with <i>Rejection Notice</i></li> <li>Resubmission required <b>within 5 business days</b></li> </ul>	<ul style="list-style-type: none"> <li>All data rejected</li> <li>List of errors generated with <i>Rejection Notice</i></li> <li>Resubmission required <b>within 5 business days</b></li> </ul>	<ul style="list-style-type: none"> <li>All data rejected</li> <li>List of errors generated with <i>Rejection Notice</i></li> <li>Resubmission required <b>within 5 business days</b></li> </ul>	<ul style="list-style-type: none"> <li>All data accepted</li> <li>List of errors generated with <i>Caution Notice</i></li> <li>Verification or submission of corrected data due for next quarter's submission</li> </ul>
<b>Requested</b>	<ul style="list-style-type: none"> <li>Remaining data set is accepted</li> <li>List of missing data elements generated with <i>Caution Notice</i></li> <li>Verification or submission of corrected data due for next quarter's submission</li> </ul>	<ul style="list-style-type: none"> <li>All data rejected</li> <li>List of errors generated with <i>Rejection Notice</i></li> <li>Resubmission required within 5 business days</li> </ul>	<ul style="list-style-type: none"> <li>All data accepted</li> <li>List of errors generated with <i>Caution Notice</i></li> <li>Verification or submission of corrected data due for next quarter's submission</li> </ul>	<ul style="list-style-type: none"> <li>All data accepted</li> <li>List of errors generated with <i>Caution Notice</i></li> <li>Verification or submission of corrected data due for next quarter's submission</li> </ul>
<b>Optional</b>	N/A	N/A	N/A	<ul style="list-style-type: none"> <li>All data accepted</li> <li>List of errors generated with <i>Caution Notice</i></li> <li>Verification or submission of corrected data due for next quarter's submission</li> </ul>

<sup>10</sup> This table represents the general policy regarding the type of action required based on problem and data type. The actual action taken for a specific problem type may be different. Please refer to the CDUS Business Rules section for further details.

## 7.5. SUBMISSION RESULTS

### 7.5.1. SMART LOADER APPROVAL (SUCCESSFUL/ACCEPTED)

When a protocol data set is accepted (successfully loaded to the CTEP database) by the Smart Loader, the investigator will receive an automatic acceptance notification by e-mail in the form of a CDUS Submission Results Notification notice. The CDUS Successful Log Report will state "The CDUS Data set for this protocol has been ACCEPTED."

### 7.5.2. SMART LOADER DISAPPROVAL (REJECTION)

Depending on the problems identified during the Smart Loader process, the investigator may be required to resubmit a data set, submit verification of data, or a combination of both. These errors will be identified on the CDUS – Error Log Report which is a section of the CDUS Submission Results Notification notice that is e-mailed after the file has been processed. CTEP will NOT make manual changes to data submitted by investigators. All corrections or changes to elements in a data set must be made through resubmission of the entire data set. Table H summarizes both the types of problems that may be identified through the Smart Loader process and also the response required from the investigator for each rejection, cumulative, or caution notice. A suspension notice will be sent to investigators who fail to respond to these notices within the specified time frame. During this suspension process, the Principal Investigator's investigator privileges are suspended as well as all their other studies are closed to accrual. These restrictions are lifted once the data file is successfully processed. A description of each notice is provided on the pages that follow.

## 7.6. TYPES OF ERROR NOTICES

For each submission an error log report will be generated and mailed to the submitter. The following descriptions provide details for each error category (Rejection, Caution, Cumulative).

### 7.6.1. CDUS REJECTION NOTICE

If a protocol data set contains incomplete, incorrect, or inappropriate mandatory data elements or incorrect requested data elements, the Smart Loader will reject the entire protocol data set, and the investigator will automatically receive a rejection notice.

The rejection notice will outline both the specific problems and also how and when these problems should be corrected. Investigators will be required to resubmit their corrected data set within 5 business days. Failure to comply may result in the suspension of an investigator and/or temporary closure of the study.

The resubmitted data set must resolve all errors listed in the rejection notice before the data set can be accepted.

### **7.6.2. CDUS CAUTION NOTICE**

If a protocol data set contains inconsistent mandatory or incomplete, inappropriate or inconsistent requested or optional data elements, the Smart Loader will accept the entire data set. All problem data will be flagged for further CTEP review. The investigator will automatically receive a caution notice. The caution notice will outline both the specific problems and also how and when they should be corrected or verified. Investigators will be requested to send CTEP either notice of amended data, clarification of data, or correction of data with the next quarterly submission of data.

#### **7.6.2.1. Correction Process for Caution Errors**

**Amended Data:** Data elements that are in fact correct but that have been identified as inconsistent through the Smart Loader process (e.g., a patient's sex has been corrected from a previous submission) must be noted as amended data in the CDUS Response to CTEP.

**Clarified Data:** Data elements that are in fact correct but have been identified as inappropriate through the Smart Loader process (e.g., a very large patient falls outside of the expected weight range) must be clarified in the

CDUS Response (i.e., CTEP must be informed that the weight as reported is correct).

**Corrected Data:** If the Smart Loader has identified problems that are in fact mistakes and require correction of the data by the investigator, the response to CTEP must indicate that these elements will be corrected and resubmitted to CTEP.

#### **7.6.2.2. Responding to a Caution Notice**

All correspondence to CTEP in response to a caution notice must be sent via e-mail to the NCI CTEP Help Desk ([ctephelpdesk@nih.gov](mailto:ctephelpdesk@nih.gov)) and must include the following information:

- File Name
- NCI Protocol Number
- Name of person completing the report, and his/her phone number
- A list of the exact fields that need to be amended from a previous submission and why (e.g., inform CTEP that a mistake was made on the patient's sex in the previous submission and the current submission is correct)
- A list of the exact fields that need to be clarified and why (e.g., inform CTEP that the weight as reported is correct)

- A list of the exact fields that need to be corrected and will be resubmitted with the complete data set.

## **7.7. CDUS CUMULATIVE NOTICE**

The minimal cumulative data submission requirement is data identical to that successfully processed in the previous submission (see Section 7.4, “Cumulative Data,” for a detailed description). Once the data file is received, the cumulative data are confirmed, and updates or new data are inserted within the record. The file is rejected when a discrepancy is found. This terminates the data load process and generates an error report that is sent to the submitter.

### **7.7.1. Correction and Response Process for Cumulative Errors**

If the Smart Loader has identified data that you have intentionally omitted from the present quarter’s submission, please identify this data via an e-mail to CTEP. CTEP will then adjust their records and re-process your file. Please review the guidelines identified in section 7.4 (Cumulative Data). CTEP realizes that the updating of data is part of the normal submission process; however, the removal of many grade 3 or 4 adverse events with positive attributions or the removal of a patient are examples of data deletions that will warrant more precise clarification.

If the Smart Loader has identified data that was inadvertently omitted, please re-submit your file with that previously omitted data included.

## **7.8. CDUS WARNING AND SUSPENSION PROCESS**

A CDUS Warning Notification Letter will be sent to investigators who fail to respond to a CDUS Rejection notice within the time allotted. This Warning Letter will be followed by a CDUS Suspension Letter which will be sent to investigators who fail to respond to a CDUS Warning Letter within the allotted time. This letter will state that the investigator is suspended and will not receive IND agents (on-going patients will be continued on a case-by-case basis) and/or that the study has been temporary closed. The suspension notice will outline both the specific problems and also how they should be corrected. CTEP’s Clinical Trials Monitoring Branch will be sent a copy of all suspension notices.

## **8. INTERPRETING THE CDUS ERROR REPORTS**

The CDUS Smart Loader has been developed to evaluate all data submitted to the Clinical Data Update System (CDUS) for both accuracy and completeness. The review process and the acceptance or the rejection of the data will depend on the type of error and whether a data element is considered mandatory or non-mandatory for the protocol for which data are being submitted. See Table H for a complete description of mandatory, requested, and optional definitions. The following section describes the Error Log Report that the system will generate for a data load via the Smart Loader.

Note: In an effort to ensure that the events reported to the Expedited Adverse Event Reporting System (AdEERS) and those reported to the Routine Reporting System (CDUS) were a match, CTEP implemented the AdEERS/CDUS Reconciliation Process on April 1, 2006. The Error Log Report was enhanced to accommodate this new process. An example of the new report is provided on page 72.

If you have any questions or comments regarding the CDUS, please contact the CTEP Help Desk ([ctephelpdesk@nih.gov](mailto:ctephelpdesk@nih.gov)). Additional information regarding the CDUS is available on the DCTD/CTEP Website.

## **8.1. ERROR LOG REPORT**

The CDUS Error Log Report is generated whenever a data file is uploaded via the Smart Loader. The report indicates the types of errors encountered to enable the submitting organization to make the necessary corrections and resubmit the data. All routine CDUS errors are identified at the beginning of the report. These errors are then followed by the errors generated from the AdEERS/CDUS Reconciliation Module. Cumulative identified errors will be displayed between the 2 sets of errors.

The header of the report indicates the Date of Generation, Lead Organization, Primary Contact, Protocol ID, Load Number, and Load Date.

The report groups the errors encountered by category:

- Rejection
- Caution
- Cumulative

For each Rejection or Caution error, the report lists the:

- Error ID
- Line Number
- Table Name
- Column Name
- Column Value
- Error Location [the Primary Key(s) for the record]

For each Cumulative error, the report lists:

- Error ID
- Table Name
- Column Value

The end of the report lists the totals for each error category. It also summarizes the total number of records with and without errors (if applicable) by table name. Cumulative errors are not included in the summarized totals.

### **8.1.1. CDUS ERROR LOG REPORT COLUMN HEADINGS**

#### **8.1.1.1. Date of Generation**

The date the Smart Loader Error Log Report was produced.

#### **8.1.1.2. Protocol ID**

The protocol number for which data was processed via the Smart Loader. This is the identifier supplied by CTEP at protocol approval.



### 8.1.1.3. Load Number

The load reference number—the number of loads both submitted and processed.

### 8.1.1.4. Load Date

The date the data were loaded into the system.


## 8.1.2. REPORT DETAIL

This section describes the specific type of data details that are available in the report.

### 8.1.2.1. Error ID

The identification number of the error. Each error generated by the Smart Loader has a predefined identification number. The format of these numbers is:

**Figure 1: CDUS Error Identification Format**



The first character indicates the Error Category. It can be Rejection (R), Caution (C), or Cumulative (D).

Please refer to the Smart Loader Error Description Report for a detailed error description corresponding to an error ID.

### 8.1.2.2. Line Number

The physical line number of the record in the submitted data file. The blank lines present in the file are also counted.

### 8.1.2.3. Table Name

The name of the table related to the current error. If the Smart Loader is unable to decide the table name (i.e., when table name itself is wrong), this field will list “DEFAULT” as the table name.

### 8.1.2.4. Column Name

The name of the column related to the current error. This field is left blank if the column name is irrelevant or not unique in the current error context. For example, for the error “Wrong number of columns,” this field is left blank.

### 8.1.2.5. Column Value

The actual data values that were summarized in the data file. In case of a cumulative error, in the majority of cases, the column value corresponds to the record(s) existing in the active database, not those submitted with the current file.

#### **8.1.2.6. Error Location**

The value of the Unique Record Identifiers (URI), or Primary Keys, for the current table. The names of the URI fields for the current record are listed in the section UNIQUE IDENTIFIERS FOR EACH TABLE LISTED IN THE ERROR REPORT.

There is one-to-one mapping from the Name to the Value. For example, if Patient\_ID is the first name listed, then the first value in the Error Location is the value of the Patient\_ID.

If the Smart Loader is unable to find the URI for the current record, then the Error Location indicates the first four field values of the current record.

#### **8.1.2.7. Unique Identifiers**

The field names which together uniquely identify a record in the table.

#### **8.1.2.8. Error Category**

There are three error categories associated with the Smart Loader. They are Rejection, Caution, and Cumulative. (R,C,D)

#### **8.1.2.9. Error Encountered**

The total number of errors encountered for an error category. This number is the count of the errors reported in the corresponding section.

### **8.2. ERROR DESCRIPTION REPORT**

Descriptions of each error message displayed in the CDUS Error Log Report are listed by Error ID in the CDUS Error Description Report (see Figure 4). As with the CDUS Error Log Report, the error descriptions in the CDUS Error Description Report are grouped by category:

- Rejection,
- Caution, and
- Cumulative

### **8.3. SAMPLE REPORTS**

The following pages show a sample of:

Error Log Report with no reference to the AdEERS/CDUS Reconciliation Process (Figure 2). This report is received by all CDUS-Abbreviated studies.

Error Log Report with reference to the AdEERS/CDUS Reconciliation Process (Figure 3)

Error Description Report (Figure 4)

All have call out text describing each part of the reports.

FIGURE 2: CDUS Error Log Report

Report	CDUS - Error Log Report					
Date the Smart Loader Error Log Report was produced	Date of Generation: 05-MAR-02 Lead Organization: ABC Primary Contact: John Doe Protocol ID: C87-0007					
Identification number of specific protocol	Load Number: 14					
	Load Date : 03-MAR-02					
	Error Category : Rejection					
Identification number of specific error	Error ID	Line Number	Table Name	Column Name	Column Value	Error Location
	R0006	1	PATIENTS	PATIENT_ID	123456789022345	[ 1234567890223 ]
	R0006	2	PATIENTS	ZIP_CODE	22258-9999-58	[ 2 ]
	R0006	3	PATIENTS	COUNTRY_CODE	United States	[ 18 ]
Physical line number	R0004	3	PATIENTS	COUNTRY_CODE	United States	[ 18 ]
Table name	R0013	4	PATIENTS	BIRTH_DATE	194201012	[ 3 ]
	R0006	5	PATIENTS	SEX_CODE	02	[ 4 ]
	R0004	5	PATIENTS	SEX_CODE	02	[ 4 ]
	R0006	7	PATIENTS	METHOD_OF_PAYMENT	06a	[ 6 ]
	R0004	7	PATIENTS	METHOD_OF_PAYMENT	06a	[ 6 ]
	R0013	8	PATIENTS	DATE_OF_ENTRY	199700201	[ 7 ]
	R0006	9	PATIENTS	REG_GROUP_ID	1234567	[ 8 ]
	R0004	9	PATIENTS	REG_GROUP_ID	1234567	[ 8 ]
	R0006	10	PATIENTS	REG_INST_ID	1234567	[ 9 ]
	R0004	10	PATIENTS	REG_INST_ID	1234567	[ 9 ]
	R0006	11	PATIENTS	TX_ON_STUDY	02	[ 10 ]
	R0004	11	PATIENTS	TX_ON_STUDY	02	[ 10 ]
	R0006	12	PATIENTS	OFF_TX_REASON	003	[ 11 ]
	R0004	12	PATIENTS	OFF_TX_REASON	003	[ 11 ]
	R0006	13	PATIENTS	SUBGROUP_CODE	SUBGROUP123	[ 12 ]
	R0004	13	PATIENTS	SUBGROUP_CODE	SUBGROUP123	[ 12 ]
	R0006	14	PATIENTS	INELIGIBILITY_STATUS	02	[ 13 ]
	R0004	14	PATIENTS	INELIGIBILITY_STATUS	02	[ 13 ]

Note: Figures 2, 3 and 4 are provided for explanatory purposes only. They are not an exhaustive sets of error messages. Error Log Reports (Figure 2 and Figure 3 (when appropriate)) are specific to each data load. The Error Description Report will be mailed with each of the data load results.

FIGURE 2: CDUS Error Log Report (cont.)

Error Category : CAUTION No Caution Errors Encountered		Caution error category
Error Category : CUMULATIVE No Cumulative Errors Encountered		Cumulative error category
UNIQUE IDENTIFIERS FOR EACH TABLE LISTED IN THE ERROR REPORT		
-----		
Table Name	Unique Identifiers	
-----		
Table name	DEFAULT	
	PATIENTS	[ PATIENT_ID ]
		Unique identifier being listed
CDUS - Smart Loader Summary Report		
-----		
Error Category	Errors Encountered	
-----		
Error category type	REJECTION	29
	CAUTION	0
	CUMULATIVE	0
		Total for each error type
	Records Without Errors	Records With Errors
-----		
Table name	COLLECTION	1
	PATIENTS	0
	PUBLICATIONS	0
		Summarized totals

FIGURE 3: CDUS Error Log Report including AdEERS/CDUS Reconciliation

# CDUS - ERROR LOG Report

Date of Generation: 05/18/2006

Page: 1 of 2

Lead Organization: ABCDE

Load Date: 05/18/2006

Primary Contact: Harriett Wood

Protocol ID: 12345

Load Number: 1

The CDUS Data set for this protocol has been REJECTED

Error Category: REJECTION

Error ID	Line Number	Table Name	Column Name	Column Value	Error Location
R0097	122	TREATMENT_COURSES	COURSE_START_D	20050802	[12012, 2]
			ATE		

Error Category: CAUTION

Error ID	Line Number	Table Name	Column Name	Column Value	Error Location
C0003	12	TREATMENT_COURSES	WEIGHT		[1,1]

Error Category: Cumulative

No Cumulative Check Done due to Rejection

Errors

Unique Identifiers

TREATMENT\_COURSES { PATIENT\_ID, COURSE\_ID }

## AdEERS/CDUS Reconciliation

Error Category: REJECTION

Error ID	Patient ID	CATEGORY/AE (CODE)	Grade	Attribution	Ticket Number (s)
R0112	12345A	PULMONARY/Hypoxia (10021143)	5	Unrelated	1376217-A-3

Error ID	Patient ID	CATEGORY/AE (CODE)	Grade	Attribution	Line Number(s)
R0113	12345A	PULMONARY/Dyspnea (shortness of breath) (10013968)	5	Unrelated	145

Error Category: CAUTION

Error ID	Patient ID	CATEGORY/AE (CODE)	Grade	Attribution	Ticket Number (s)
C0012	12345B	NEUROLOGY/Mood alteration-anxiety, agitation (10002855)	4	Unrelated	1988877-O-0

Error ID	Patient ID	CATEGORY/AE (CODE)	Grade	Attribution	Line Number (s)
C0013	12345B	NEUROLOGY/Mood alteration-anxiety, agitation (10002855)	3	Unlikely	189

Error Category Errors Encountered

REJECTION	3
CAUTION	3
CUMULATIVE	0


No records will be loaded into the active database due to errors

Table Name	Records with No Errors	Records with Errors
COLLECTIONS	1	0
CORRELATIVE_STUDIES	0	0
PUBLICATIONS	0	0
AUTHORS	0	0
PATIENTS	5	0
PRIOR_THERAPIES	5	0
TREATMENT_COURSES	6	2
COURSE_AGENTS	6	0
ADVERSE_EVENTS	16	2
BEST_RESPONSES	4	0
TRIAL_COMMENTS	0	0
PHASE1_END_POINTS	0	0
PHASE1_END_POINT_DLTS	0	0
PATIENT_RACES	5	0
BASELINE_ABNORMALITIES	6	0
LATE_ADVERSE_EVENTS	0	0
* AdEERS/CDUS Reconciliation	-	2

\* CDUS data counts will be reflected in the appropriate table(s) under "Records with No Errors" or "Records with Errors"

\* AdEERS data counts will be reflected under "Records with Errors" in the AdEERS/CDUS Reconciliation row

FIGURE 4: CDUS Error Description Report



Note: Figures 2, 3 and 4 are provided for explanatory purposes only. They are not an exhaustive sets of error messages. Error Log Reports (Figure 2 and Figure 3 (when appropriate) are specific to each data load. The Error Description Report will be mailed with each of the data load results.

## 9. CDUS BUSINESS RULES

The following table provides the business rules effective as of December 1, 2006. Caution rules that generate across multiple tables have been excluded.

**Table I: CDUS Business Rules**

Table Name	Column Name	Problem Type	Error Type	Error Description
COLLECTIONS	SUBMISSION_DATE	Inappropriate Mandatory	REJECTION	CutOff_Date/Subm_Date/Current_Trial_Status_Date must not be > the system date
	CUTOFF_DATE	Inappropriate Mandatory	REJECTION	CutOff_Date/Subm_Date/Current_Trial_Status_Date must not be > the system date
	CUTOFF_DATE	Inappropriate Mandatory	REJECTION	Must be greater than or equal to the previous submission's CutOff_DATE
	CUTOFF_DATE	Inappropriate Mandatory	REJECTION	Must be <= Subm_Date
	CURRENT_TRIAL_STATUS_CODE	Inappropriate Mandatory	REJECTION	Submitted status/status date must progress towards completion or must be consistent with either the current CTEP database or with the CTEP database values as of your selected CutOff_Date
	CURRENT_TRIAL_STATUS_CODE	Inappropriate Mandatory	REJECTION	Protocol Status must not be 'Approved' if patients are being accrued
	CURRENT_TRIAL_STATUS_CODE	Inappropriate Mandatory	REJECTION	Status of 'Temporarily Closed to Accrual' or 'Temporarily Closed to Accrual and Treatment' may not be updated to the status of 'Active'. Contact the NCI CTEP Help Desk
	CURRENT_TRIAL_STATUS_CODE	Inappropriate Mandatory	CAUTION	Submitted status/status date is valid as of your Selected CutOff_Date but is not the current trial status/status date. Contact the NCI CTEP Help Desk.
	CURRENT_TRIAL_STATUS_DATE	Inappropriate Mandatory	REJECTION	CutOff_Date/Subm_Date/Current_Trial_Status_Date must not be > the system date
	CURRENT_TRIAL_STATUS_DATE	Inappropriate Mandatory	REJECTION	Submitted status/status date must progress towards completion or must be consistent with either the current CTEP database or with the CTEP database values as of your selected CutOff_Date
	CURRENT_TRIAL_STATUS_CODE	Inappropriate Mandatory	CAUTION	Submitted status/status date is valid as of your Selected CutOff_Date but is not the current trial status/status date. Contact the NCI CTEP Help Desk.
CORRELATIVE_STUDIES	PATIENTS_COLLECTED	Inappropriate Mandatory	CAUTION	Value must not decrease over time
	PATIENTS_COLLECTED	Inappropriate Mandatory	REJECTION	Must be >= PATIENTS_ANALYZED
	PATIENTS_COLLECTED	Inappropriate Mandatory	REJECTION	Must be <= SAMPLES_COLLECTED
	PATIENTS_ANALYZED	Inappropriate Mandatory	CAUTION	Value must not decrease over time
	PATIENTS_ANALYZED	Inappropriate Mandatory	REJECTION	Must be <= SAMPLES_ANALYZED
	SAMPLES_COLLECTED	Inappropriate Mandatory	CAUTION	Value must not decrease over time
	SAMPLES_COLLECTED	Inappropriate Mandatory	REJECTION	Must >= SAMPLES_ANALYZED
	SAMPLES_ANALYZED	Inappropriate Mandatory	CAUTION	Value must not decrease over time
	ALL COLUMN NAMES	Incomplete Mandatory	REJECTION	Correlative Study information Mandatory if Correlative ID abstracted and study activated on or after 01/01/2002
PUBLICATIONS	MEDLINE_UID	Incomplete Requested	CAUTION	Requested if itemized publications data is not provided.
	TITLE	Incomplete Requested	CAUTION	Requested when MEDLINE_UID is NULL
	JOURNAL	Incomplete Requested	CAUTION	Requested when MEDLINE_UID is NULL
	VOLUME	Incomplete Requested	CAUTION	Requested when MEDLINE_UID is NULL
	YEAR	Incomplete Requested	CAUTION	Requested when MEDLINE_UID is NULL
	PUBLISHER	Incomplete Requested	CAUTION	Requested when MEDLINE_UID is NULL
	PAGES	Incomplete Requested	CAUTION	Requested when MEDLINE_UID is NULL

Table Name	Column Name	Problem Type	Error Type	Error Description
AUTHORS	FNAME	Incomplete Requested	CAUTION	Requested field is NULL
	LNAME	Incomplete Requested	CAUTION	Requested field is NULL
PATIENTS	ZIP_CODE	Incomplete Mandatory	REJECTION	Either Zip Code or Country Code is Mandatory
	COUNTRY_CODE	Incomplete Mandatory	REJECTION	Either Zip Code or Country Code is Mandatory
	BIRTH_DATE	Incomplete Mandatory	REJECTION	Mandatory field is NULL
	BIRTH_DATE	Inappropriate Mandatory	REJECTION	Must be <= CutOff_DATE
	BIRTH_DATE	Inappropriate Mandatory	REJECTION	Patient age must be <=100 at Date of Entry
	BIRTH_DATE	Inappropriate Mandatory	REJECTION	Must be <= DATE_OF_ENTRY
	SEX_CODE	Incomplete Mandatory	REJECTION	Mandatory field is NULL
	ETHNICITY_FLAG	Incomplete Mandatory	REJECTION	Mandatory field is NULL
	METHOD_OF_PAYMENT	Incomplete Requested	CAUTION	Requested field in NULL
	DATE_OF_ENTRY	Inappropriate Mandatory	REJECTION	Must be <= CutOff_DATE
	DATE_OF_ENTRY	Inappropriate Mandatory	REJECTION	Date_Of_Entry must be within the date range when the protocol has a status of 'Active'
	DATE_OF_ENTRY	Inappropriate Mandatory	REJECTION	Must be <= Subm_Date
	REG_GROUP_ID	Incomplete Mandatory	REJECTION	Mandatory for intergroup trials
	REG_GROUP_ID	Inappropriate Mandatory	REJECTION	Must be a participant on the study
	REG_INST_ID	Incomplete Mandatory	REJECTION	Mandatory field is NULL
	TX_ON_STUDY	Incomplete Mandatory	REJECTION	Mandatory when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	OFF_TX_REASON	Incomplete Mandatory	REJECTION	Response for Progression is mandatory when OFF_TX_REASON = '02'
	OFF_TX_REASON	Incomplete Mandatory	REJECTION	Mandatory when TX_ON_STUDY = '2'
	OFF_TX_REASON	Inappropriate Mandatory	REJECTION	Patients.Off_TX_REASON must be NULL if Patients.TX_ON_STUDY = '1'
	OFF_TX_REASON	Incomplete Mandatory	REJECTION	Patients.Off_TX_Reason is mandatory if at least one Adverse Events.AE_Grade_Code = '5'
	LAST_TX_DATE	Incomplete Mandatory	REJECTION	Mandatory when TX_ON_STUDY = '2'; CDUS-Complete or CTMS (CDUS-Complete); study activated on or after 01/01/2002; and Off_TX_Reason is not Code '06', '12', or '13'
	LAST_TX_DATE	Inappropriate Mandatory	REJECTION	Patient's.Last_TX_Date must be NULL if Patients.TX_ON_STUDY = '1'; CDUS- Complete or CTMS (CDUS-Complete); and study activated on or after 01/01/2002
	LAST_TX_DATE	Inappropriate Mandatory	REJECTION	Must be >= DATE_OF_ENTRY
	OFF_STUDY_REASON	Inappropriate Mandatory	REJECTION	Patients.Off_Study_Reason must be NULL if Patients.TX_On_Study = '1' (Yes) and study activated on or after 01/01/2002
	OFF_STUDY_REASON	Inappropriate Mandatory	REJECTION	Patients.Off_Study_Reason MUST be '04' (Death) if Patients.Off_Treatment_Reason = '04' (Death) and study activated on or after 01/01/2002
	OFF_STUDY_REASON	Incomplete Mandatory	REJECTION	Patients.Off_Study_Reason is mandatory if at least one Adverse Events.AE_Grade_Code = '5' and study activated on or after 01/01/2002
	OFF_STUDY_REASON	Incomplete Mandatory	REJECTION	Mandatory if OFF_STUDY_DATE is NOT NULL
	OFF_STUDY_DATE	Incomplete Mandatory	REJECTION	Mandatory if OFF_STUDY_REASON is NOT NULL
	SUBGROUP_CODE	Incomplete Mandatory	REJECTION	Mandatory when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	INELIGIBILITY_STATUS	Incomplete Mandatory	REJECTION	Mandatory when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	BASELINE_PS_CODE	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring



Table Name	Column Name	Problem Type	Error Type	Error Description
	PRIOR_CHEMO_REGS	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	DISEASE_CODE	Incomplete Mandatory	REJECTION	Mandatory when study has been assigned to CDUS-Abbreviated; CDUS-Complete or CTMS (CDUS-Complete) monitoring and study approved on or after 10/01/2004 or for studies requesting to submit from the SDC values. Studies with NIH Admin Code other than 'CTEP' are excluded
	DISEASE_CODE	Inappropriate Mandatory	REJECTION	Patients.Disease_Code must be selected from the Simplified Disease Classification values for studies approved on or after 10/01/2004 or for studies requesting to submit from the SDC values.
	DISEASE_CODE	Inappropriate Mandatory	REJECTION	Patients.Disease_Code submitted must be abstracted for the protocol if study as- signed to Simplified Disease Classification, study not a phase '1' or a phase '0' study, NIH Admin Code = 'CTEP', and study approved on or after 10/01/2004.
	RESP_EVAL_STATUS	Incomplete Mandatory	REJECTION	Mandatory when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	RESP_EVAL_STATUS	Incomplete Mandatory	REJECTION	Response record mandatory when RESP_EVAL_STATUS = '1'
	BASELINE_ABNORMALITIES_FLAG	Incomplete Mandatory	REJECTION	Mandatory when CDUS-Complete or CTMS (CDUS-Complete) monitoring and Activated on or after 01/01/2002
	BASELINE_ABNORMALITIES_FLAG	Incomplete Mandatory	REJECTION	Baseline Abnormalities record mandatory when Patients. BASELINE_ABNORMALITIES_FLAG = '1' = 'Yes'
PATIENT_RACES	RACE_CODE	Incomplete Mandatory	REJECTION	Primary Key is NULL
	ALL COLUMN NAMES	Incomplete Mandatory	REJECTION	PATIENT_RACES record Mandatory if patient record exists
PRIOR_THERAPIES	THERAPY_CODE	Incomplete Mandatory	REJECTION	Primary Key is NULL
TREATMENT_COURSES	COURSE_START_DATE	Incomplete Mandatory	REJECTION	Mandatory data not submitted
	COURSE_START_DATE	Inappropriate Mandatory	REJECTION	Must be >= DATE_OF_ENTRY
	COURSE_START_DATE	Inappropriate Mandatory	REJECTION	Course_Start_Date MUST be <= Last_TX_Date
	TX_ASGMNT_CODE	Incomplete Mandatory	REJECTION	Mandatory when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	TREATING_INST_ID	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	HEIGHT	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	HEIGHT	Inappropriate requested	CAUTION	Must be >= 25cm and <= 200cm
	WEIGHT	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	WEIGHT	Inappropriate requested	CAUTION	Must be >= 3kg and <= 136kg
	AE_EXPERIENCED	Incomplete Mandatory	REJECTION	Adverse Event records mandatory when Treatment Courses.AE_EXPERIENCED = '1'
	AE_EXPERIENCED	Incomplete Mandatory	REJECTION	Mandatory when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
COURSE_AGENTS	DOSE_CHANGE	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	DOSE_AMOUNT	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
	UNIT_CODE	Incomplete Requested	CAUTION	Requested when the study has been assigned to CDUS-Complete or CTMS (CDUS- Complete) monitoring
BASELINE_ABNORMALITIES	AE_OTHER_SPECIFY	Incomplete Mandatory	REJECTION	Mandatory when AE_TYPE_CODE = 'Other'
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	AE_Other, Specify can only be submitted when AE_Type_Code = 'Other'. Please delete the AE_Other_Specify Column Value data
	ALL COLUMN NAMES	Incomplete Mandatory	REJECTION	Mandatory when BASELINE_ABNORMALITIES_FLAG = 'Yes'

Table Name	Column Name	Problem Type	Error Type	Error Description
	ALL COLUMN NAMES	Inappropriate Mandatory	REJECTION	Baseline Abnormality Records may only be submitted if BASELINE_ABNORMALITIES_FLAG = 'Yes'
ADVERSE_EVENTS	AE_OTHER_SPECIFY	Incomplete Mandatory	REJECTION	Mandatory when AE_TYPE_CODE = 'Other'; CDUS-Complete or CTMS (CDUS-Complete) and Activated on or after 01/01/2002
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	AE_Other, Specify can only be submitted when AE_Type_Code = 'Other'. Please delete the AE_Other_Specify Column Value data
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	The total number of 'Other, Specify' Adverse Events is greater than CTEP permits. For assistance, contact the NCI CTEP Help Desk.
	AE_OTHER_SPECIFY	Inappropriate Requested	CAUTION	The total number of 'Other, Specify' Adverse Events is greater than CTEP permits. For assistance, contact the NCI CTEP Help Desk.
	AE_GRADE_CODE	Inappropriate Mandatory	REJECTION	Only the highest Adverse Events.AE_Grade_Code value should be reported for each Adverse Events.Course_ID and Adverse Events. AE_Type_Code
	AE_GRADE_CODE	Inappropriate Mandatory	REJECTION	If Treatment_Courses.AE_Start_Date or Late_Adverse_Events.AE_Start_Date is on or after 07/01/2005, only one Grade '5' Adverse Event or Late Adverse Event may be submitted for the patient.
	AE_GRADE_CODE	Inappropriate Mandatory	REJECTION	At least one Adverse Event.AE_Grade_Code must be = '5' if Patients.Off_TX_Reason = '04'.
	AE_GRADE_CODE	Inappropriate Mandatory	REJECTION	An Adverse Events/Late Adverse Events.AE_Grade_Code must be = '5' if Patients.Off_Study_Reason = '04' (Death); for studies activated on or after 01/01/2002
	AE_ATTRIBUTION_CODE	Incomplete Mandatory	REJECTION	Mandatory when Treatment_Courses.AE_ Experienced = '1'
	AER FILED	Incomplete Mandatory	REJECTION	Mandatory when Treatment_Courses.AE_ Experienced = '1'
	ALL COLUMN NAMES	Incomplete Mandatory	REJECTION	Adverse Event record mandatory when Treatment_Courses.AE_ Experienced = '1'.
	ALL COLUMN NAMES	Inappropriate Mandatory	REJECTION	Adverse Event record can only be submitted when Treatment_Courses. AE_EXPERIENCED = '1'
LATE_ADVERSE_EVENTS	AE_OTHER_SPECIFY	Incomplete Mandatory	REJECTION	Mandatory when AE_TYPE_CODE = 'Other'
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	AE_Other, Specify can only be submitted when AE_Type_Code = 'Other'. Please delete the AE_Other_Specify Column Value data
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	The total number of 'Other, Specify' Adverse Events is greater than CTEP permits. For assistance, contact the NCI CTEP Help Desk.
	AE_OTHER_SPECIFY	Inappropriate Requested	CAUTION	The total number of 'Other, Specify' Adverse Events is greater than CTEP permits. For assistance, contact the NCI CTEP Help Desk.
	AE_START_DATE	Inappropriate Mandatory	REJECTION	AE_Start_Date MUST be greater than the Last_TX_Date
	AE_GRADE_CODE	Inappropriate Mandatory	REJECTION	An Adverse Events/Late Adverse Events.AE_Grade_Code must be = '5' if Patients.Off_Study_Reason = '04' (Death); for studies activated on or after 01/01/2002
	AE_GRADE_CODE	Inappropriate Mandatory	REJECTION	If Treatment_Courses.AE_Start_Date or Late_Adverse_Events.AE_Start_Date is on or after 07/01/2005, only one Grade '5' Adverse Event or Late Adverse Event may be submitted for the patient.
BEST_RESPONSES	CATEGORY	Incomplete Mandatory	REJECTION	Response for Progression is mandatory when OFF_TX_Reason = '02'
	CATEGORY	Inappropriate Mandatory	REJECTION	Treatment Course record is mandatory when Best_Responses record exists
	CATEGORY	Inappropriate Mandatory	REJECTION	Value may not decrease except to Progression
	OBSERVED_DATE	Inappropriate Mandatory	REJECTION	Must be >= first COURSE_START_DATE
	OBSERVED_DATE	Inappropriate Mandatory	REJECTION	OBSERVED_DATE <= CutOff_DATE

Table Name	Column Name	Problem Type	Error Type	Error Description
	OBSERVED_DATE	Inappropriate Mandatory	REJECTION	There may not be multiple identical Best Responses.Observed_Date for the same patient
TRIAL_COMMENTS	GEN_RESPONSE_COMMENTS	Incomplete Mandatory	REJECTION	Mandatory when BEST_RESPONSES.CATEGORY = '98' (Other); CDUS-Complete or CTMS (CDUS-Complete); Activated on or after 01/01/2002
PHASE1_END_POINTS				
PHASE1_END_POINT_DLTS	AE_OTHER_SPECIFY	Incomplete Mandatory	REJECTION	Mandatory when AE_TYPE_CODE = 'Other'
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	AE_Other, Specify can only be submitted when AE_Type_Code = 'Other'. Please delete the AE_Other_Specify Column Value data
	AE_OTHER_SPECIFY	Inappropriate Mandatory	REJECTION	The total number of 'Other, Specify' Adverse Events is greater than CTEP permits. For assistance, contact the NCI CTEP Help Desk.
	AE_OTHER_SPECIFY	Inappropriate Requested	CAUTION	The total number of 'Other, Specify' Adverse Events is greater than CTEP permits. For assistance, contact the NCI CTEP Help Desk.
<b>AdEERS/CDUS Reconciliation Business Rules</b>				
Adverse Event record was submitted via the AdEERS system but is not present in the CDUS data. This adverse event meets both routine (CDUS) and expedited (AdEERS) reporting requirements. Failure to resolve this data discrepancy could result in suspension of investigator privileges or study closure.				
Adverse Event record was submitted in your CDUS data but is not present in the AdEERS system. This adverse event meets both routine (CDUS) and expedited (AdEERS) reporting requirements. Failure to resolve this data discrepancy could result in suspension of investigator privileges or study closure.				
Adverse Event record was submitted via the AdEERS system but is not present in the CDUS data. This adverse event meets both routine (CDUS) and expedited (AdEERS) reporting requirements. Resolution of this data is expected.				
Adverse Event record was submitted in your CDUS data but is not present in the AdEERS system. This adverse event meets both routine (CDUS) and expedited (AdEERS) reporting requirements. Resolution of this data is expected.				