

# NCTN Trial Portfolios

*Note: For full functionality, it is recommended that users download the PDF file and open it with a PDF reader.*


## Cancer trials ordered by disease area:

- Brain Cancer Trials
- Breast Cancer Trials
- Endocrine/Neuroendocrine Cancer Trials
- Gastrointestinal (GI) Cancer Trials
- Genitourinary (GU) Cancer Trials
- Gynecologic Cancer Trials
- Head and Neck Cancer Trials
- Leukemia Trials
- Lymphoma Trials
- Myeloma Trials
- Sarcoma Trials
- Skin Cancer Trials (mainly Melanoma)
- Thoracic Cancer Trials
- Pediatric and AYA trials
  - Pediatric Brain Cancer Trials
  - Pediatric Hematologic Trials
  - Pediatric Solid Tumor Trials
  - Adolescent and Young Adult (AYA) Trials


This portfolio shows NCTN trials. For information about NCORP trials, please see: <https://ncorp.cancer.gov/find-a-study/>

## NCTN Brain Cancer Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



### Cross-disease trials:



## NCTN Brain Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A071401</b>	II	Phase II Trial of SMO/ AKT/ NF2 Inhibitors in Progressive Meningiomas with SMO/ AKT/ NF2 Mutations
<b>A071701</b>	II	Genomically-Guided Treatment Trial in Brain Metastases
<b>A072201</b>	II	Randomized Phase II Trial of Anti-Lag-3 and Anti-PD-1 Blockade vs. SOC in Patients with Recurrent Glioblastoma
<b>CCTG CE.7</b>	III	A Phase III Trial of Stereotactic Radiosurgery Compared with Whole Brain Radiotherapy (WBRT) for 5-15 Brain Metastases
<b>EAF223</b>	II	Phase II Glioblastoma Accelerated Biomarkers Learning Environment Trial (GABLE)
<b>NRG-BN003</b>	III	Phase III Trial of Observation Versus Irradiation for a Gross Totally Resected Grade II Meningioma
<b>NRG-BN011</b>	III	A Phase III Trial of Lomustine-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients with Methylated MGMT Promoter Glioblastoma
<b>NRG-BN013</b>	III	Phase III Trial of Single Fraction Stereotactic Radiosurgery (SRS) Versus Fractionated SRS (FSRS) for Intact Brain Metastases
<b>NRG-BN014</b>	III	A Phase III Randomized Clinical Trial of Proton Craniospinal Irradiation Versus Involved-Field Radiotherapy for Patients with Breast Cancer or Non-Small Cell Lung Cancer Leptomeningeal Metastasis (Radiate-LM)
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<b>EAY191-N5</b>	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

Neoadjuvant	Post-Neoadjuvant	Adjuvant	Metastatic
<div><div><div>S2212 (SCARLET) TNBC T2-4/N0/M0, or T1-3/N1-2/M0</div><div>S2206 HR+/HER2- Stage II or III</div></div></div>	<div><div><div>A012103 (OptimICE-PCR) TNBC Early-Stage, pCR post pre-op chemo + pembrolizumab</div><div>A012303 (ShortStop-HER2) HER2+ Early-Stage, pCR post pre-op chemo + HER2 blockade</div></div></div>	<div><div><div>CCTG MA.39 HR+/HER2- Low risk; Node positive</div><div>NRG-BR007 (DEBRA) HR+/HER2- pT1(&lt;=2cm) pN0M0</div><div>NRG-BR009 (OFFSET) HR+/HER2- pT1-3/N0-1/M0, Oncotype Recurrence Score ≤ 25, Premenopausal patients</div><div>A012301 (LoTam) HR+/HER2- Early-stage, Low molecular risk, Resected tumor ≤3cm and N0, Postmenopausal pts</div></div></div>	<div><div><div>EAY191 (ComboMATCH)</div><div>↓</div><div>Sub-study: EAY191-E5 (KRAS G12C mutation)</div></div></div>


## NCTN Breast Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A012103</b>	III	OptimICE-PCR: De-Escalation of Therapy in Early-Stage TNBC Patients Who Achieve pCR After Neoadjuvant Chemotherapy with Checkpoint Inhibitor Therapy
<b>A012301</b>	III	LoTam: A Randomized, Phase III Clinical Trial of Low-Dose Tamoxifen for Selected Patients with Molecular Low-Risk Early-Stage Breast Cancer
<b>A012303</b>	III	ShortStop-HER2: Shortened Duration of Adjuvant Therapy in Patients with Early-Stage HER2+ Breast Cancer Who Achieve pCR After Neoadjuvant Chemotherapy with HER2 Blockade
<b>CCTG MA.39</b>	III	Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer
<b>NRG-BR007</b>	III	A Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER2-Negative, Oncotype Recurrence Score $\leq$ 18 Breast Cancer (DEBRA)
<b>NRG-BR009</b>	III	A Phase III Adjuvant Trial Evaluating the Addition of Adjuvant Chemotherapy to Ovarian Function Suppression Plus Endocrine Therapy in Premenopausal Patients with pN0-1, ER-Positive/HER2-Negative Breast Cancer and an Oncotype Recurrence Score $\leq$ 25 (OFSET)
<b>S2206</b>	III	Phase III Trial of Neoadjuvant Durvalumab (NSC 778709) Plus Chemotherapy Versus Chemotherapy Alone for Adults with MammaPrint Ultrahigh (MP2) Hormone Receptor (HR) Positive / Human Epidermal Growth Factor Receptor (HER2) Negative Stage II-III Breast Cancer
<b>S2212</b>	III	Shorter Anthracycline-Free Chemo Immunotherapy Adapted to Pathological Response in Early Triple Negative Breast Cancer (SCARLET), A Randomized Phase III Study
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial

This portfolio shows NCTN trials. For information about NCORP trials, please see: <https://ncorp.cancer.gov/find-a-study/>

## NCTN Endocrine/Neuroendocrine Cancer Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




## NCTN Endocrine/Neuroendocrine Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A021901</b>	II	Randomized Phase II Trial of Lutetium Lu 177 Dotatate Versus Everolimus in Somatostatin Receptor Positive Bronchial Neuroendocrine Tumors
<b>A092204</b>	II	A Phase II Study of Cabozantinib in Combination with Cemiplimab (REGN2810) (Cabo-Cemiplimab (REGN-2810)) Versus Cabozantinib Alone in Adolescents and Adults with Advanced Adrenocortical Cancer
<b>CCTG-NE1</b>	II	NET RETREAT: A Phase II Study of 177 Lutetium-DOTATATE Retreatment vs. Everolimus in Metastatic/Unresectable Midgut NET
<b>S2012</b>	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
<b>S2104</b>	II	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors

# NCTN Gastrointestinal Cancer Trials Portfolio (Open as of 12/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.






## NCTN Gastrointestinal Cancer Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



### Cross-disease trials:




## NCTN Gastrointestinal Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
A021806	III	A Phase III Trial of Perioperative Versus Adjuvant Chemotherapy for Resectable Pancreatic Cancer
A022101	III	A Pragmatic Randomized Phase III Trial Evaluating Total Ablative Therapy for Patients with Limited Metastatic Colorectal Cancer: Evaluating Radiation, Ablation, and Surgery (ERASur)
A022102	III	Randomized Phase III Trial of mFOLFIRINOX +/- Nivolumab vs. FOLFOX +/- Nivolumab for First-Line Treatment of Metastatic HER2-Negative Gastroesophageal Adenocarcinoma
A022106	II/III	Phase II/III Second-Line NABPLAGEM vs. Nab-Paclitaxel/Gemcitabine in BRCA1/2 or PALB2 Mutant Metastatic Pancreatic Ductal Adenocarcinoma (PLATINUM)
CCTG-CO32	III	The NEO-RT Trial: A Phase 3 Randomized Trial of Neoadjuvant Chemotherapy, Excision and Observation Versus ChemoRadioTherapy for Early Rectal Cancer
CCTG-NE1	II	NET RETREAT: A Phase II Study of 177 Lutetium-DOTATATE Retreatment vs. Everolimus in Metastatic/Unresectable Midgut NET
EA2174	II/III	A Phase II/III Study of Peri-Operative Nivolumab and Ipilimumab in Patients with Locoregional Esophageal and Gastroesophageal Junction Adenocarcinoma
EA2192	II	APOLLO: A Randomized Phase II Double-Blind Study of Olaparib Versus Placebo Following Adjuvant Chemotherapy in Patients with Resected Pancreatic Cancer and a Pathogenic BRCA1, BRCA2 or PALB2 Mutation
EA2222	III	A Randomized Phase III Study of Systemic Therapy with or Without Hepatic Arterial Infusion for Unresectable Colorectal Liver Metastases: The PUMP Trial
EA2234	II/III	A Randomized Phase II/III Trial of Intraperitoneal Paclitaxel Plus Systemic Treatment vs Systemic Treatment Alone in Gastric Carcinomatosis - STOPGAP II
NRG-GI003	III	A Phase III Randomized Trial of Protons Versus Photons for Hepatocellular Carcinoma
NRG-GI006	III	Phase III Randomized Trial of Proton Beam Therapy (PBT) Versus Intensity Modulated Photon Radiotherapy (IMRT)
NRG-GI008	II/III	Colon Adjuvant Chemotherapy Based on Evaluation of Residual Disease (CIRCULATE-US)
NRG-GI011	III	A Phase III Randomized Trial of Dose Escalated Radiation in Locally Advanced Pancreas Cancer (LAPC) Patients (LAP100)
NRG-GI012	III	Phase III Randomized Trial of IO-Based Systemic Treatment +/- Liver SBRT in Hepatocellular Cancer with Macrovascular Invasion (HELIO-RT)
S1922	II	Randomized Phase II Selection Study of Ramucirumab and Paclitaxel Versus FOLFIRI in Refractory Small Bowel Adenocarcinoma
S2012	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
S2104	II	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors
S2303	II/III	Randomized Phase II/III Trial of 2nd Line Nivolumab + Paclitaxel + Ramucirumab Versus Paclitaxel + Ramucirumab in Patients with PD-L1 CPS >= 1 Advanced Gastric and Esophageal Adenocarcinoma (PARAMUNE)
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

# NCTN Genitourinary Cancer Trials Portfolio (Open as of 12/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



## **NCTN Genitourinary Cancer Trials Portfolio (Open as of 12/15/2025)**

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

### **Cross-disease trials:**




## NCTN Genitourinary Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
A031701	II	A Phase II Study of Dose-Dense Gemcitabine Plus Cisplatin (ddGC) in Patients with Muscle-Invasive Bladder Cancer with Bladder Preservation for Those Patients Whose Tumors Harbor Deleterious DNA Damage Response (DDR) Gene Alterations
A031702	II	Phase II Study of Cabozantinib in Combination with Nivolumab and Ipilimumab in Rare Genitourinary Tumors
A031801	II	A Phase II Randomized Trial of Radium-223 Dichloride and Cabozantinib in Patients with Advanced Renal Cell Carcinoma with Bone Metastasis (RadiCal)
A032102	II	PRECISION Diagnostics in Prostate Cancer Treatment (PREDICT)
A032103	III	MODERN: An Integrated Phase 2/3 and Phase 3 Trial of MRD-Based Optimization of ADJUVANT ThERapy in UROthelial CaNcer
A032201	III	Short TeRm Intensified Pembrolizumab (KEYtruda) and Tivozanib for High-Risk Renal Cell Carcinoma - STRIKE
A032302	III	Docetaxel Addition in Metastatic Castrate-Sensitive Prostate Cancer (ASPIRE)
A032303	III	GAIN-BCG: Gemcitabine Alternating with INtravesical BCG Randomized Against BCG Alone for Patients with Recurrent High Grade Non-Muscle Invasive Bladder Cancer
CCTG-PR24	III	Androgen Suppression Combined with Elective Nodal Irradiation and Dose Escalated Prostate Treatment: A Non-Inferiority, Phase III Randomized Controlled Trial of Stereotactic Body Radiation Therapy Versus Brachytherapy Boost in Patients with Unfavorable Risk Localized Prostate Cancer (ASCENDE-SBRT)
CCTG-PR26	III	A Randomized Phase III Clinical Trial for the Addition of Docetaxel to Androgen Receptor Pathway Inhibitors in Patients with Metastatic Castration Sensitive Prostate Cancer and Suboptimal PSA Response (TRIPLE-SWITCH)
EA8134	III	INPACT- International Penile Advanced Cancer Trial (International Rare Cancers Initiative Study)
EA8191	III	Phase III Study of Local or Systemic Therapy INTensification Directed by PET in Prostate CAncer Patients with Post-ProstaTEctomy Biochemical Recurrence (INDICATE)
EA8192	II/III	A Phase II/III Trial of MED14736 (Durvalumab) and Chemotherapy for Patients with High Grade Upper Tract Urothelial Cancer Prior to Nephroureterectomy
EA8231	III	A Phase III Randomized Trial of Pembrolizumab in Combination with Sacituzumab Govitecan vs Standard of Care in Anti-PD(L)1-Resistant Advanced Urothelial Cancer
NRG-GU008	III	Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging into Salvage Treatment for Patients with Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE*)
NRG-GU010	III	Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification And Intensification Clinical Trial Evaluation (GUIDANCE)
NRG-GU011	II	A Phase II Double-Blinded, Placebo-Controlled Trial of PROstate OligoMETastatic RadioThERapy with or Without ANDrogen Deprivation Therapy in Oligometastatic Prostate Cancer (NRG Prometheus)
NRG-GU012	II	Randomized Phase II Stereotactic Ablative Radiation Therapy (SABR) for Metastatic Unresected Renal Cell Carcinoma (RCC) Receiving Immunotherapy (SAMURAI)
NRG-GU013	III	The Phase III 'High Five Trial' Five Fraction Radiation For High-Risk Prostate Cancer
NRG-GU014	II	Randomized Phase II Trial of Pembrolizumab and Radiation vs. Radiation and Concurrent Chemotherapy for High-Grade T1 Bladder Cancer (PARRC Trial)
NRG-GU015	III	The Phase III Adaptive Radiation and Chemotherapy for Muscle Invasive Bladder Cancer Trial (ARCHER)
S1802	III	Phase III Randomized Trial of Standard Systemic Therapy (SST) Versus Standard Systemic Therapy Plus Definitive Treatment (Surgery or Radiation) of the Primary Tumor in Metastatic Prostate Cancer
S1931	III	Phase III Trial of Immunotherapy-Based Combination Therapy with or Without Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma (PROBE Trial)
S1937	III	A Phase III Randomized Trial of Eribulin (NSC #707389) with or Without Gemcitabine Versus Standard of Care (Physician's Choice) for Treatment of Metastatic Urothelial Carcinoma Refractory to, or Ineligible for, Anti PD1/PDL1 Therapy
S2012	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
S2200	II	A Phase II Randomized Trial of Cabozantinib (NSC #761968) with or Without Atezolizumab (NSC #783608) in Patients with Advanced Papillary Renal Cell Carcinoma (PAPMET2)
S2210	II	A Phase II Study of Neoadjuvant Carboplatin for Localized, High Risk Prostate Cancer with Germline BRCA1/2 Mutations
S2312	III	A Phase III Study of Cabazitaxel with or Without Carboplatin in Patients with Metastatic Castrate-Resistant Prostate Cancer (mCRPC), Stratified by Aggressive Variant Signature
S2427	II	Single Arm Phase II Study of Bladder Preservation with Immunoradiotherapy After a Clinically Meaningful Response to Neoadjuvant Therapy in Patients with Muscle Invasive Bladder Cancer (BRIGHT)
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial


This portfolio shows NCTN trials. For information about NCORP trials, please see: <https://ncorp.cancer.gov/find-a-study/>

# NCTN Gynecologic Cancer Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



## Cross-disease trials:




## NCTN Gynecologic Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>AGCT1531</b>	III	A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standard Risk Pediatric and Adult Patients with Germ Cell Tumors
<b>AGCT1532</b>	III	A Randomized Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate and Poor-Risk Germ Cell Tumors
<b>EAY191-N4</b>	II	A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers: A ComboMATCH Treatment Trial
<b>NRG-GY024</b>	II	Groningen International Study on Sentinel Nodes in Vulvar Cancer (GROINSS-V) III: A Prospective Phase II Treatment Trial
<b>NRG-GY025</b>	II	A Randomized Phase II Trial of Nivolumab and Ipilimumab Compared to Nivolumab Monotherapy in Patients with Deficient Mismatch Repair System Recurrent Endometrial Carcinoma
<b>NRG-GY026</b>	II/III	A Phase II/III Study of Paclitaxel/Carboplatin Alone or Combined with Either Trastuzumab and Hyaluronidase-oysk (HERCEPTIN HYLECTA) or Pertuzumab, Trastuzumab, and Hyaluronidase-zzxf (PHESGO) in HER2 Positive, Stage I-IV Endometrial Serous Carcinoma or Carcinosarcoma
<b>NRG-GY031</b>	I	A Phase 1B Study of Combination ATR (M1774) and BET Inhibition (ZEN003694) to Exploit ARID1A Loss in Recurrent Ovarian and Endometrial Cancer
<b>NRG-GY032</b>	II	A Phase II Study of Tailored Adjuvant Therapy in Pole-Mutated and p53-Wildtype/NSMP Early-Stage Endometrial Cancer (RAINBO BLUE & TAPER)
<b>NRG-GY036</b>	III	A Phase III Trial of One vs. Two Years of Maintenance Olaparib, with or Without Bevacizumab, in Patients with BRCA1/2 Mutated or Homologous Recombination Deficient (HRD+) Ovarian Cancer Following Response to First Line Platinum-Based Chemotherapy
<b>NRG-GY037</b>	III	A Phase III Study of Induction Pembrolizumab and Chemotherapy Followed by Chemoradiation and Pembrolizumab vs Chemoradiation and Pembrolizumab Both Followed by Pembrolizumab for High Risk Locally Advanced Cervical Cancer
<b>S2012</b>	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<b>EAY191-N5</b>	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

## NCTN Head and Neck Cancer Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.






## **NCTN Head and Neck Cancer Trials Portfolio (Open as of 12/15/2025)**

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

### **Cross-disease trials:**




## NCTN Head and Neck Cancer Trials (Open as of 12/15/2025)


Protocol Number	Phase	Protocol Title
<b>A092105</b>	II	Randomized Phase 2 Study of Nivolumab and Ipilimumab with or Without Cabozantinib in Patients with Advanced Nasopharyngeal Carcinoma That Have Progressed After Platinum Treatment and Immunotherapy
<b>A092205</b>	III	Randomized Phase III Trial of Pembrolizumab vs. Pembrolizumab/Cetuximab in Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma with Platinum Refractory Disease
<b>CCTG-HN11</b>	III	SPECT-CT Guided Elective Contralateral Neck Treatment [SELECT] for Patients with Lateralized Oropharyngeal Cancer: A Phase III Randomized Controlled Trial
<b>EA3132</b>	II	Phase II Randomized Trial of Radiotherapy with or Without Cisplatin for Surgically Resected Squamous Cell Carcinoma of the Head and Neck (SCCHN) with TP53 Sequencing
<b>EA3161</b>	II/III	A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients with Locally Advanced, Intermediate Risk HPV Positive OPCA
<b>EA3191</b>	II	A Phase II Randomized Trial of Adjuvant Therapy with Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma with High Risk Features
<b>EA3211</b>	III	Phase III Randomized Trial of Immunotherapy with or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma
<b>EA3231</b>	III	A Randomized Phase III Study of BRAF-Targeted Therapy vs Cabozantinib in RAI-Refractory Differentiated Thyroid Cancer with BRAF V600Em
<b>NRG-HN006</b>	II/III	Randomized Phase II/III Trial of Sentinel Lymph Node Biopsy Versus Elective Neck Dissection for Early-Stage Oral Cavity Cancer
<b>NRG-HN009</b>	II/III	Randomized Phase II/III Trial of Radiation with High-Dose Cisplatin (100 mg/m <sup>2</sup> ) Every Three Weeks Versus Radiation with Low-Dose Weekly Cisplatin (40 mg/m <sup>2</sup> ) for Patients with Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)
<b>NRG-HN010</b>	II	A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naïve, Unresectable HER2-Positive Salivary Gland Cancer
<b>NRG-HN011</b>	II	A Randomized Phase II Study of Nivolumab Versus Nivolumab and BMS-986016 (Relatlimab) as Maintenance Treatment After First-Line Treatment with Platinum-Gemcitabine-Nivolumab for Patients with Epstein-Barr Virus-Associated Recurrent/Metastatic Nasopharyngeal Carcinoma (REMAIN)
<b>RTOG-1216</b>	II/III	Randomized Phase II/III Trial of Surgery and Postoperative Radiation Delivered with Concurrent Cisplatin Versus Docetaxel Versus Docetaxel and Cetuximab for High-Risk Squamous Cell Cancer of the Head and Neck
<b>S2101</b>	II	Biomarker Stratified Cabozantinib (NSC#761968) and Nivolumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Participants with Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<b>EAY191-N5</b>	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

## NCTN Leukemia Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



### MyeloMATCH and its sub-trials:




## NCTN Leukemia Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A041501</b>	III	A Phase III Trial to Evaluate the Efficacy of the Addition of Inotuzumab Ozogamicin (a Conjugated Anti-CD22 Monoclonal Antibody) to Frontline Therapy in Young Adults (Ages 18-39 Years) with Newly Diagnosed Precursor B-Cell ALL
<b>A041703</b>	II	A Phase II Study of Inotuzumab Ozogamicin Followed by Blinatumomab for Ph-Negative, CD22-Positive B-Lineage Acute Lymphoblastic Leukemia in Newly Diagnosed Older Adults or Adults with Relapsed or Refractory Disease
<b>EA9181</b>	III	A Phase III Randomized Trial of Steroids + Tyrosine Kinase Inhibitor Induction with Chemotherapy or Blinatumomab for Newly Diagnosed BCR-ABL-Positive Acute Lymphoblastic Leukemia in Adults
<b>EA9213</b>	II	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia/Lymphoma (T-ALL/T-LBL)
<b>MYELOMATCH</b>	Other	MYELOMATCH, Master Screening and Reassessment Protocol (MSRP) for Tier Advancement in the NCI MyeloMATCH Clinical Trials
<b>MM1MDS-A01</b>	II	A Randomized Phase II Trial of Enasidenib-Based Therapies Versus Cedazuridine-Decitabine in Higher-Risk IDH2-Mutated Myelodysplastic Syndrome: A MyeloMATCH Sub-Study
<b>MM10A-EA02</b>	II	A Randomized Phase II Study of Venetoclax and HMA-Based Therapies for the Treatment of Older and Unfit Adults with Newly Diagnosed FLT3-Mutated Acute Myeloid Leukemia (AML): A MyeloMATCH Treatment Trial
<b>MM10A-S03</b>	II	A Randomized Phase II Trial of ASTX727 and Venetoclax Compared with ASTX727, Venetoclax, and Enasidenib for Newly Diagnosed Older Adults with IDH2 Mutant Acute Myeloid Leukemia: A MyeloMATCH Substudy
<b>MM1YA-CTG01</b>	II	A Measurable Residual Disease (MRD) Focused, Phase II Study of Venetoclax Plus Chemotherapy for Newly Diagnosed Younger Patients with Intermediate Risk Acute Myeloid Leukemia: A Tier 1 MYELOMATCH Clinical Trial
<b>MM1YA-S01</b>	II	A Randomized Phase II Study Comparing Cytarabine + Daunorubicin (7 + 3) vs (Daunorubicin and Cytarabine) Liposome, Cytarabine + Daunorubicin + Venetoclax, Azacitidine + Venetoclax, and (Daunorubicin and Cytarabine) Liposome + Venetoclax in Patients Aged 59 or Younger Who are Considered High-Risk (Adverse) Acute Myeloid Leukemia As Determined by MYELOMATCH; A MYELOMATCH Clinical Trial
<b>S1905</b>	II	A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T-Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL)
<b>S1925</b>	III	Randomized, Phase III Study of Early Intervention with Venetoclax and Obinutuzumab Versus Delayed Therapy with Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study

# NCTN Lymphoma Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




## NCTN Lymphoma Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A051901</b>	I	Phase I Trial of Methotrexate, Rituximab, Lenalidomide, and Nivolumab (Nivo-MR2) Induction Followed by Lenalidomide and Nivolumab Maintenance in Primary CNS Lymphoma
<b>A051902</b>	II	A Randomized Phase II Study of CHO(E)P vs CC-486-CHO(E)P vs Duvelisib-CHO(E)P in Previously Untreated CD30 Negative Peripheral T-Cell Lymphomas
<b>A052101</b>	III	A Randomized Phase 3 Trial of Continuous vs. Intermittent Maintenance Therapy with Zanubrutinib as Upfront Treatment in Older Patients with Mantle Cell Lymphoma
<b>AHOD2131</b>	III	A Randomized Phase 3 Interim Response Adapted Trial Comparing Standard Therapy with Immuno-oncology Therapy for Children and Adults with Newly Diagnosed Stage I and II Classic Hodgkin Lymphoma
<b>EA4231</b>	II	A Phase 2 Study of Venetoclax, Ibrutinib, Prednisone, Obinutuzumab, and Revlimid (VIPOR) in Relapsed or Refractory CD10-Negative Diffuse-Large B-Cell Lymphoma (DLBCL) and High-Grade B-Cell Lymphoma with MYC and BCL2 Rearrangements (HGBCL-DH-BCL2)
<b>EA4232</b>	III	A Randomized Phase III Study to Evaluate Benefits of Autologous Stem Cell Transplant in Patients with Peripheral T Cell Lymphoma That Achieved a First Complete Remission (CR1) Following Induction Therapy (PTCL-STAT)
<b>EA9213</b>	II	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia/Lymphoma (T-ALL/T-LBL)
<b>S1905</b>	II	A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T-Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL)
<b>S1918</b>	II/III	A Phase II/III Randomized Study of R-MiniCHOP with or Without CC-486 (Oral Azacitidine) in Participants Age 75 Years or Older with Newly Diagnosed Diffuse Large B Cell Lymphoma, Grade IIIB Follicular Lymphoma, Transformed Lymphoma, and High-Grade B-Cell Lymphomas with MYC AND BCL2 and/or BCL6 Rearrangements
<b>S1925</b>	III	Randomized, Phase III Study of Early Intervention with Venetoclax and Obinutuzumab Versus Delayed Therapy with Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study
<b>S2005</b>	II	A Phase II Randomized Study of Ibrutinib and Rituximab with or Without Venetoclax in Previously Untreated Waldenström's Macroglobulinemia (WM) / Lymphoplasmacytic Lymphoma (LPL)
<b>S2114</b>	II	A Randomized Phase II Trial of Consolidation Therapy Following CD19 CAR T-Cell Treatment For Relapsed/Refractory Large B-Cell Lymphoma or Grade IIIB Follicular Lymphoma
<b>S2207</b>	II	Randomized Phase II Study of the Addition of Targeted Therapeutic Agents to Tafasitamab-Based Therapy in Non-Transplant-Eligible Patients with Relapsed/Refractory Large B-Cell Lymphoma
<b>S2308</b>	III	Randomized Phase III Study of Mosunetuzumab vs. Rituximab for Low Tumor Burden Follicular Lymphoma

## NCTN Myeloma Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




## NCTN Myeloma Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A062101</b>	I/II	A Phase I/II Study of the Safety, Tolerability and Efficacy of Belantamab Mafodotin (GSK2857916) in Combination with Iberdomide (CC-220)/Dexamethasone Versus Belantamab Mafodotin (GSK2857916)/Dexamethasone in Relapsed Refractory Multiple Myeloma
<b>A062102</b>	II	Randomized Phase 2 Study of Iberdomide Maintenance Therapy Following Idecabtagene Vicleucel CAR-T in Multiple Myeloma Patients
<b>EAA173</b>	III	Daratumumab to Enhance Therapeutic Effectiveness of Revlimid in Smoldering Myeloma (DETER-SMM)
<b>EAA181</b>	III	Effective Quadruplet Utilization After Treatment Evaluation (EQUATE): A Randomized Phase 3 Trial for Newly Diagnosed Multiple Myeloma Not Intended for Early Autologous Transplantation
<b>EAA241</b>	II	A Randomized Phase II Trial Comparing Daratumumab-Bortezomib-Dexamethasone Versus Cyclophosphamide-Bortezomib-Dexamethasone in Newly Diagnosed Multiple Myeloma with Light Chain Cast Nephropathy (LCCN)
<b>S2209</b>	III	A Phase III Randomized Trial for Newly Diagnosed Multiple Myeloma (NDMM) Patients Considered Frail or in a Subset of "Intermediate Fit" Comparing Upfront Three-Drug Induction Regimens Followed by Double or Single-Agent Maintenance
<b>S2213</b>	III	A Phase III, Randomized Study of Daratumumab, Cyclophosphamide, Bortezomib and Dexamethasone (Dara-VCD) Induction Followed by Autologous Stem Cell Transplant or Dara-VCD Consolidation and Daratumumab Maintenance in Patients with Newly Diagnosed AL Amyloidosis




**NCTN Sarcoma Trials Portfolio (Open as of 12/15/2025)**

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



**Cross-disease trials:**




## NCTN Sarcoma Trials (Open as of 12/15/2025)


Protocol Number	Phase	Protocol Title
<b>AEWS2431</b>	II/III	Randomized Phase 2/3 Trial of Vincristine-Irinotecan-Regorafenib in Combination with Vincristine-Doxorubicin-Cyclophosphamide (VDC) and Ifosfamide-Etoposide (IE) in Patients with Newly Diagnosed Metastatic Ewing Sarcoma
<b>AOST2031</b>	III	A Phase 3 Randomized Controlled Trial Comparing Open vs Thoracoscopic Management of Pulmonary Metastases in Patients with Osteosarcoma
<b>AOST2032</b>	II/III	A Feasibility and Randomized Phase 2/3 Study of the VEGFR2/MET Inhibitor Cabozantinib in Combination with Cytotoxic Chemotherapy for Newly Diagnosed Osteosarcoma
<b>EA7211</b>	III	A Randomized Phase III Study of Neoadjuvant Chemotherapy Followed by Surgery Versus Surgery Alone for Patients with High Risk RetroPeritoneal Sarcoma (STRASS 2)
<b>EA7222</b>	III	A Randomized Phase III Trial of Doxorubicin + Pembrolizumab Versus Doxorubicin Alone for the Treatment of Undifferentiated Pleomorphic Sarcoma (UPS) and Related Poorly Differentiated Sarcomas
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<b>EAY191-N5</b>	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

## NCTN Skin Cancer Trials Portfolio (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



### Cross-disease trials:




## NCTN Skin Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A091903</b>	II	A Randomized Phase II Trial of Adjuvant Nivolumab with or Without Cabozantinib in Patients with Resected Mucosal Melanoma
<b>EA6141</b>	II/III	Randomized Phase II/III Study of Nivolumab Plus Ipilimumab Plus Sargramostim Versus Nivolumab Plus Ipilimumab in Patients with Unresectable Stage III or Stage IV Melanoma
<b>NRG-HN014</b>	III	Randomized Phase III Trial of Neoadjuvant Immunotherapy with Response-Adapted Treatment Versus Standard-of-Care Treatment for Resectable Stage III/IV Cutaneous Squamous Cell Carcinoma
<b>S2101</b>	II	Biomarker Stratified CaboZantinib (NSC#761968) and NivOlumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Participants with Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<b>EAY191-N5</b>	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

# NCTN Thoracic Cancer Trials Portfolio (Open as of 12/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



## **NCTN Thoracic Cancer Trials Portfolio (Open as of 12/15/2025)**

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

### **Cross-disease trials:**




## NCTN Thoracic Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A021901</b>	II	Randomized Phase II Trial of Lutetium Lu 177 Dotatate Versus Everolimus in Somatostatin Receptor Positive Bronchial Neuroendocrine Tumors
<b>A081801</b>	III	Integration of Immunotherapy Into Adjuvant Therapy for Resected NSCLC: ALCHEMIST Chemo-IO
<b>A082002</b>	II/III	A Randomized Phase II/III Trial of Modern Immunotherapy Based Systemic Therapy with or Without SBRT for PD-L1-Negative, Advanced Non-Small Cell Lung Cancer
<b>A082101</b>	II	Multimodality Therapy with Immunotherapy in Stage I-IIIa Sarcomatoid Mesothelioma
<b>A092001</b>	II	Phase 2 Randomized Trial of Neoadjuvant or Palliative Chemotherapy with or Without Immunotherapy for Peritoneal Mesothelioma
<b>CCTG-BR38</b>	III	Consolidative Use of Radiotherapy to Block (CURB2) Oligoprogression in Participants with Metastatic Non-Small-Cell Lung Cancer A Randomized Phase 3 Trial
<b>CTIU2317-A082304-S2402</b>	III	Perioperative Versus Adjuvant Systemic Therapy in Patients with Resectable Non-Small Cell Lung Cancer - PROSPECT LUNG
<b>EA5162</b>	II	Phase II Study of AZD9291 (Osimertinib) in Advanced NSCLC Patients with Exon 20 Insertion Mutations in EGFR
<b>EA5182</b>	III	Randomized Phase III Study of Combination AZD9291 (Osimertinib) and Bevacizumab Versus AZD9291 (Osimertinib) Alone as First-Line Treatment for Patients with Metastatic EGFR-Mutant Non-Small Cell Lung Cancer (NSCLC)
<b>EA5221</b>	III	A Randomized Phase III Trial of Chemo-Immunotherapy vs Immunotherapy Alone for the Vulnerable Older Adult with Advanced Non-Small Cell Lung Cancer: The ACHIEVE Study
<b>EA5231</b>	III	A Randomized Phase III Trial of Checkpoint Blockade in Lung Cancer Patients in the Adjuvant Setting Based on Pathologic Response Following Neoadjuvant Therapy (CLEAR)
<b>LUNGMAP</b>	Other	A Master Protocol to Evaluate Biomarker-Driven Therapies and Immunotherapies in Previously-Treated Non-Small Cell Lung Cancer (Lung-MAP Screening Study)
<b>NRG-LU007</b>	II/III	Randomized Phase II/III Trial of Consolidation Radiation + Immunotherapy for ES-SCLC: RAPTOR Trial
<b>NRG-LU008</b>	III	Phase III Prospective Randomized Trial of Primary Lung Tumor Stereotactic Body Radiation Therapy Followed by Concurrent Mediastinal Chemoradiation for Locally-Advanced Non-Small Cell Lung Cancer
<b>S1800E</b>	II/III	A Randomized Phase II/III Study of Docetaxel and Ramucirumab with or Without Cemiplimab (REGN2810) for Participants Previously Treated with Platinum-Based Chemotherapy and Immunotherapy for Stage IV or Recurrent Non-Small Cell Lung Cancer (Lung-MAP Non-Matched Sub-Study)
<b>S1900G</b>	II	A Randomized Phase II Study of INC280 (Capmatinib) Plus Osimertinib with or Without Ramucirumab in Participants with EGFR-Mutant, MET-Amplified Stage IV or Recurrent Non-Small Cell Lung Cancer (Lung-MAP Sub-Study)
<b>S1900J</b>	II	A Phase II Study of Amivantamab SC (Subcutaneous) in Participants with MET Amplification-Positive Stage IV or Recurrent Non-Small Cell Lung Cancer (LUNG-MAP SUB-STUDY)
<b>S1900K</b>	II	A Randomized Phase II Study of Tepotinib with or Without Ramucirumab in Participants with MET Exon 14 Skipping Positive Stage IV or Recurrent Non-Small Cell Lung Cancer (LUNG-MAP SUB-STUDY)
<b>S1933</b>	II	A Pilot Study of Hypofractionated Radiotherapy Followed by Atezolizumab Consolidation in Stage II or III NSCLC Patients with Borderline Performance Status
<b>S2409</b>	II	PRISM: PReclision in SCLC Via a Multicohort Study: Randomized Phase II Studies Evaluating Maintenance Durvalumab with or Without Biomarker-Directed Therapy for Extensive Stage Small Cell Lung Cancer (ES-SCLC)
<b>S2414</b>	III	A Randomized Phase III Trial Incorporating Pathologic Complete Response in Participants with Early Stage Non Small Cell Lung Cancer to Optimize Immunotherapy in the Adjuvant Setting (INSIGHT)
<b>EAY191</b>	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
<b>EAY191-E5</b>	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<b>EAY191-N5</b>	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial

## NCTN Pediatric Brain and Central Nervous System Tumor Trials (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.






## NCTN Pediatric Brain and Central Nervous System Tumor Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
ACNS1821	I/II	A Phase 1/2 Trial of Selinexor (KPT-330) and Radiation Therapy in Newly-Diagnosed Pediatric Diffuse Intrinsic Pontine Glioma (DIPG) and High-Grade Glioma (HGG)
ACNS1833	III	A Phase 3 Randomized Non-Inferiority Study of Carboplatin and Vincristine Versus Selumetinib (NSC# 748727) in Newly Diagnosed or Previously Untreated Low-Grade Glioma (LGG) Not Associated with BRAFV600E Mutations or Systemic Neurofibromatosis Type 1 (NF1)
ACNS2021	II	A Phase 2 Trial of Chemotherapy Followed by Response-Based Whole Ventricular & Spinal Canal Irradiation (WVSCI) for Patients with Localized Non-Germinomatous Central Nervous System Germ Cell Tumor
ACNS2031	III	A Phase 3 Study of Sodium Thiosulfate for Reduction of Cisplatin-Induced Ototoxicity in Children with Average-Risk Medulloblastoma and Reduced Therapy in Children with Medulloblastoma with Low-Risk Features
ACNS2321	II	A Phase II Trial Evaluating Chemotherapy Followed by Response-Based Reduced Radiation Therapy for Patients with Central Nervous System Germinomas

## NCTN Pediatric Hematologic Cancer Trials (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




## NCTN Pediatric Hematologic Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>AALL1621</b>	II	A Phase 2 Study of Inotuzumab Ozogamicin (NSC# 772518) in Children and Young Adults with Relapsed or Refractory CD22+ B-Acute Lymphoblastic Leukemia (B-ALL)
<b>AALL1732</b>	III	A Phase 3 Randomized Trial of Inotuzumab Ozogamicin (IND#:133494, NSC#: 772518) for Newly Diagnosed High-Risk B-ALL; Risk-Adapted Post-Induction Therapy for High-Risk B-ALL, Mixed Phenotype Acute Leukemia, and Disseminated B-LLy
<b>AALL1821</b>	II	A Phase 2 Study of Blinatumomab (NSC# 765986) in Combination with Nivolumab (NSC # 748726), a Checkpoint Inhibitor of PD-1, in B-ALL Patients Aged $\geq 1$ to $< 31$ Years Old with First Relapse
<b>AALL2121</b>	II	A Phase 2 Study of SNDX-5613 in Combination with Chemotherapy for Patients with Relapsed or Refractory KMT2A-Rearranged Infant Leukemia
<b>AALL2131</b>	III	An International Pilot Study of Chemotherapy and Tyrosine Kinase Inhibitors with Blinatumomab in Patients with Newly-Diagnosed Philadelphia Chromosome-Positive or ABL-Class Philadelphia Chromosome-Like B-Cell Acute Lymphoblastic Leukemia
<b>AALL2321</b>	II	A Phase 2 Study of Blinatumomab in Combination with Chemotherapy for Infants with Newly Diagnosed Acute Lymphoblastic Leukemia with Randomization of KMT2A-Rearranged Patients to Addition of Venetoclax
<b>AAML1831</b>	III	A Phase 3 Randomized Trial for Patients with De Novo AML Comparing Standard Therapy Including Gemtuzumab Ozogamicin (GO) to CPX-351 with GO, and the Addition of the FLT3 Inhibitor Gilteritinib for Patients with FLT3 Mutations
<b>AHOD2131</b>	III	A Randomized Phase 3 Interim Response Adapted Trial Comparing Standard Therapy with Immuno-oncology Therapy for Children and Adults with Newly Diagnosed Stage I and II Classic Hodgkin Lymphoma
<b>ANHL2121</b>	II	Phase 2 Study of Tovorafenib (DAY101) in Relapsed and Refractory Langerhans Cell Histiocytosis

# NCTN Pediatric Solid Tumor (other than Brain/CNS) Trials (Open as of 12/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



## NCTN Pediatric Solid Tumor (other than Brain/CNS) Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>AEWS2431</b>	II/III	Randomized Phase 2/3 Trial of Vincristine-Irinotecan-Regorafenib in Combination with Vincristine-Doxorubicin-Cyclophosphamide (VDC) and Ifosfamide-Etoposide (IE) in Patients with Newly Diagnosed Metastatic Ewing Sarcoma
<b>AGCT1531</b>	III	A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standard Risk Pediatric and Adult Patients with Germ Cell Tumors
<b>AGCT1532</b>	III	A Randomized Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate and Poor-Risk Metastatic Germ Cell Tumors
<b>ANBL1531</b>	III	A Phase 3 Study of 131I-Metaiodobenzylguanidine (131I-MIBG) or ALK Inhibitor Therapy Added to Intensive Therapy for Children with Newly Diagnosed High-Risk Neuroblastoma (NBL)
<b>ANBL2131</b>	III	A Phase 3 Study of Dinutuximab Added to Intensive Multimodal Therapy for Children with Newly Diagnosed High-Risk Neuroblastoma
<b>AOST2031</b>	III	A Phase 3 Randomized Controlled Trial Comparing Open vs Thoracoscopic Management of Pulmonary Metastases in Patients with Osteosarcoma
<b>AOST2032</b>	II/III	A Feasibility and Randomized Phase 2/3 Study of the VEGFR2/MET Inhibitor Cabozantinib in Combination with Cytotoxic Chemotherapy for Newly Diagnosed Osteosarcoma
<b>ARAR2221</b>	II	A Phase 2 Study Using Chemoimmunotherapy with Gemcitabine, Cisplatin and Nivolumab in Newly Diagnosed Nasopharyngeal Carcinoma (NPC)
<b>ARAR2331</b>	III	Prospective Treatment of Types I, II and III Pleuropulmonary Blastoma (PPB)
<b>AREN1921</b>	II	Treatment of Newly Diagnosed Diffuse Anaplastic Wilms Tumors (DAWT) and Relapsed Favorable Histology Wilms Tumors (FHWT)
<b>AREN2231</b>	III	Risk Adapted Treatment of Unilateral Favorable Histology Wilms Tumors (FHWT)
<b>ARET2121</b>	II	Intravitreal Melphalan for Intraocular Retinoblastoma
<b>ARST2032</b>	III	A Prospective Phase 3 Study of Patients with Newly Diagnosed Very Low-Risk and Low-Risk Fusion Negative Rhabdomyosarcoma

# NCTN Adolescent and Young Adult (AYA) Cancer Trials Portfolio (Updated on 12/15/2025)

Click on trial number to go to the associated ClinicalTrials.gov webpage, to view the protocol title and the study information.

Newly Diagnosed Disease	Recurrent Disease
<div>Osteosarcoma (Pulmonary mets)</div> <div>AOST2031</div>	<div>Precursor B-Lymphoblastic Leukemia (B-Cell ALL)</div> <div>AALL1821</div>
<div>Osteosarcoma (High Grade)</div> <div>AOST2032</div>	<div>Osteosarcoma (Pulmonary mets)</div> <div>AOST2031</div>
<div>Classical Hodgkin Lymphoma</div> <div>AHOD2131</div>	<div>Precursor T-Lymphoblastic Leukemia/ Lymphoma (T-Cell ALL/LBL) - MRD</div> <div>EA9213</div>
<div>Invasive breast carcinoma (HR+/HER2-)</div> <div>NRG-BR009 (OFSET)*^</div>	<div>Precursor T-Lymphoblastic Leukemia/ Lymphoma (T-Cell ALL/LBL)</div> <div>S1905</div>
<div>Germ Cell Tumors</div> <div>AGCT1531</div> <div>AGCT1532</div>	<div>Adrenocortical Carcinoma</div> <div>A092204</div>
<div>Precursor B-Lymphoblastic Leukemia (B-Cell ALL)</div> <div>A041501*</div>	
<div>Ewing Sarcoma/Peripheral Primitive Neuroectodermal Tumor (mets)</div> <div>AEWS2431</div>	

## Legend by Disease Types

Green =  
Osteosarcoma

Orange =  
Hodgkin  
Lymphoma

Purple =  
Breast

Yellow =  
Germ Cell  
Tumors

Blue =  
B-Cell ALL

Light Grey  
= Ewing  
Sarcoma

Light Green =  
Adrenocortical  
Carcinoma

Light Blue =  
T-Cell ALL /  
T-Cell LBL

Note: \* NRG-BR009 and A041501: Age 18 years and older; ^ NRG-BR009: COG is not directly participating.

## NCTN Adolescent and Young Adult (AYA) Cancer Trials (Open as of 12/15/2025)

Protocol Number	Phase	Protocol Title
<b>A041501</b>	III	A Phase III Trial to Evaluate the Efficacy of the Addition of Inotuzumab Ozogamicin (a Conjugated Anti-CD22 Monoclonal Antibody) to Frontline Therapy in Young Adults (Ages 18-39 Years) with Newly Diagnosed Precursor B-Cell ALL
<b>A092204</b>	II	A Phase II Study of Cabozantinib in Combination with Cemiplimab (REGN2810) (Cabo-Cemiplimab (REGN-2810)) Versus Cabozantinib Alone in Adolescents and Adults with Advanced Adrenocortical Cancer
<b>AALL1821</b>	II	A Phase 2 Study of Blinatumomab (NSC# 765986) in Combination with Nivolumab (NSC # 748726), a Checkpoint Inhibitor of PD-1, in B-ALL Patients Aged $\geq 1$ to $< 31$ Years Old with First Relapse
<b>AEWS2431</b>	II/III	Randomized Phase 2/3 Trial of Vincristine-Irinotecan-Regorafenib in Combination with Vincristine-Doxorubicin-Cyclophosphamide (VDC) and Ifosfamide-Etoposide (IE) in Patients with Newly Diagnosed Metastatic Ewing Sarcoma
<b>AGCT1531</b>	III	A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standard Risk Pediatric and Adult Patients with Germ Cell Tumors
<b>AGCT1532</b>	III	A Randomized Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate and Poor-Risk Germ Cell Tumors
<b>AHOD2131</b>	III	A Randomized Phase 3 Interim Response Adapted Trial Comparing Standard Therapy with Immuno-oncology Therapy for Children and Adults with Newly Diagnosed Stage I and II Classic Hodgkin Lymphoma
<b>AOST2031</b>	III	A Phase 3 Randomized Controlled Trial Comparing Open vs Thoracoscopic Management of Pulmonary Metastases in Patients with Osteosarcoma
<b>AOST2032</b>	II/III	A Feasibility and Randomized Phase 2/3 Study of the VEGFR2/MET Inhibitor Cabozantinib in Combination with Cytotoxic Chemotherapy for Newly Diagnosed Osteosarcoma
<b>EA9213</b>	II	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia/Lymphoma (T-ALL/T-LBL)
<b>NRG-BR009</b>	III	A Phase III Adjuvant Trial Evaluating the Addition of Adjuvant Chemotherapy to Ovarian Function Suppression Plus Endocrine Therapy in Premenopausal Patients with pN0-1, ER-Positive/HER2-Negative Breast Cancer and an Oncotype Recurrence Score $\leq 25$ (OFSET)
<b>S1905</b>	I/II	A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T-Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL)